

2015 Price List

About Adam

Adam Equipment manufactures balances and scales for the laboratory, industrial, medical, retail, and education customers worldwide. Founded in the United Kingdom more than four decades ago, Adam has strategically established a network of offices throughout the world to provide a high level of service to its customers, wherever they are located. With facilities in the United Kingdom, United States, South Africa, Australia and China, Adam maintains a strong global presence.

Adam began with a pledge to always deliver products with the right balance of speed, performance and value to its customers. The company takes great pride in meeting this goal each day, with every customer. Adam is committed to manufacturing reliable products with proven technology and user-friendly features. In addition, Adam provides comprehensive responsive customer support and assistance.

Adam's commitment to ongoing, customer-driven product development ensures that the company will continue to move forward, bringing customers with the weighing solutions they need now and in the future.



Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com

Scales and Balances

Key















-  Backlit Display
-  Tare
-  Internal Calibration
-  External Calibration
-  Battery Powered
-  Rechargeable Battery
-  RS-232 Port
-  USB Port
-  Date
-  Time
-  GLP / ISO Printouts
-  Security Bracket
-  Weigh Below
-  Washdown Rated

Table of Contents

Eclipse® Precision Balances	4
Nimbus® Precision Balances	6
PGL Precision Balances	7
Highland® Portable Precision Balances	8
Core® Portable Compact Balances	9
CB Compact Balances	10
Dune® Compact Balances	11
TBB Triple Beam Balances	12
PMB Moisture Analyzer	14
CPWplus Weighing Scales	16
LBK Weighing Scales	18
CBK Bench Checkweighing Scales	19
GBK Bench Checkweighing Scales	20
ABK Bench Weighing Scales	21
GFK Floor Checkweighing Scales	22
AFK Floor Weighing Scales	23
CBC Bench Counting Scales	25
CBD Bench Counting Scales	26
CBD+ Counting Scales with Remote Platform	27
GBC Bench Counting Scales	28
GFC Floor Counting Scales	29
WBW Washdown Scales	31
Warrior® Washdown Scales	32
WBZ Washdown Retail Scales	34
SHS Crane Scales	36
LHS Crane Scales	37
IHS Crane Scales	38
PT Platforms	40
PTM Drum and Wheelchair Scale	41
PTS Pallet Truck Scale	42
GB & GF Platforms	43
AE Indicator	45
GK Indicator	46
GC Counting Indicator	47
MXB Baby Scale	49
MTB Baby and Toddler Scale	50
MDW Physician Scales	51
MUW Medical Scales	52
CQT Grain Scale	54
Highland® Density / Precious Metal Balances	56
ASTM Weights	58
Anti-Vibration Table	58
ATP Printer	59
ADAM DU Software	59

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com

To learn more about a certain product in this catalog, scan the QR code.

Print results quick and easy



- Features**
- Thermal printer
 - Dimensions: 114 mm x 184 mm x 90 mm
 - Print size 24 x 24 dot
 - Column size 384 dots per line
 - 57.5mm paper width

Part Number	Class	List Price
1120011156	ATP Printer	\$335.00
3126011281	ATP Printer Paper (10 Rolls)	\$90.00
3123001263	ATP Printer Paper	\$14.00



ADAM DU Software

Streamlines data collection from multiple laboratory balances

- Features**
- Monitor and collect data readings for up to eight balances or scales simultaneously
 - Include date and time with readings
 - Graph readings in real time
 - Export readings in several file formats (text, CSV, HTML, XML)
 - Export directly to Microsoft® Excel or Microsoft® Word

Microsoft Word, Microsoft Excel, and Microsoft are all registered trademark of Microsoft Corporation in the United States and other countries

Part Number	Class	List Price
600002028	Adam DU	\$95.00



Available as a download and/or on a disc.

Balances

Eclipse Precision Balances 	4
Nimbus Precision Balances 	6
PGL Precision Balances	7
Highland ® Portable Precision Balances	8
Core ® Portable Compact Balances	9
CB Compact Balances	10
Dune ® Compact Balances	11
TBB Triple Beam Balances	12

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



Eclipse Precision Balances

Fully featured series – our most intuitive balance to date



Features

- The illuminated capacitive touch keypad provides responsive operation, and its durable, smooth surface can be easily wiped down
- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- USB and RS-232 interfaces provide speedy communication with computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Robust metal housing protects internal components in harsh environments
- Large, grade 304 stainless steel pan allows swift cleaning
- Level indicator and adjusting feet ensure proper balance setup for optimum weighing results
- Removable draft shield on models with 0.001g readability helps to reduce errors caused by air currents

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Checkcounting
- Dynamic / animal weighing
- Accumulation
- Density determination

General Specifications

- Weighing units: g, mg, ct, GN, dr, oz, ozt, dwt, mm, tl.T, tl.H, tl.S, ti, T, custom unit
- Interface: RS-232 / USB
- Power Supply: 18VDC 800mA adapter
- Display: Backlit LCD with capacity tracker with 24mm-high digits
- Calibration: External or internal calibration
- Housing: Extruded aluminum base
- Operating Temperature: 15° to 35°C / 59° to 95°F

Accessories

Item number	Description	Price
• 104008036	Anti-vibration table	\$675.00
• 2011013014	Density kit for 90mm and 120mm pan	\$375.00
• 2011013015	Density kit for 160mm pan	\$375.00
• 3012313007	Dust cover for 0.1mg balances	\$45.00
• 3012313008	Dust cover for top loaders	\$45.00
• 3012313009	In-use wet cover for 90mm pan	\$35.00
• 3012313010	In-use wet cover for 120mm pan	\$35.00
• 3012313011	In-use wet cover for 160mm pan	\$35.00
• 3012313012	In-use wet cover for 300mm x 400mm pan	\$35.00
• 3074010267	USB cable	\$35.00
• 3014011014	RS-232 cable	\$35.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 600002028	Adam DU data collection program	\$95.00
• 3011413013	Weigh-below hook	\$25.00



External Calibration

Model	Capacity	Readability	Pan Size	Price
EBL 104e	100g	0.0001g	3.5" ø / 90mm ø	\$1,835.00
EBL 164e	160g	0.0001g	3.5" ø / 90mm ø	\$2,035.00
EBL 214e	210g	0.0001g	3.5" ø / 90mm ø	\$2,185.00
EBL 254e	250g	0.0001g	3.5" ø / 90mm ø	\$2,335.00
EBL 314e	310g	0.0001g	3.5" ø / 90mm ø	\$2,485.00
EBL 223e	220g	0.001g	4.7" ø / 120mm ø	\$995.00
EBL 423e	420g	0.001g	4.7" ø / 120mm ø	\$1,155.00
EBL 623e	620g	0.001g	4.7" ø / 120mm ø	\$1,375.00
EBL 823e	820g	0.001g	6.3" ø / 160mm ø	\$1,725.00
EBL 1023e	1020g	0.001g	6.3" ø / 160mm ø	\$1,825.00
EBL 1623e	1620g	0.001g	6.3" ø / 160mm ø	\$2,195.00
EBL 1602e	1600g	0.01g	6.3" ø / 160mm ø	\$925.00
EBL 2602e	2600g	0.01g	6.3" ø / 160mm ø	\$995.00
EBL 3602e	3600g	0.01g	6.3" ø / 160mm ø	\$1,095.00
EBL 4602e	4600g	0.01g	6.3" ø / 160mm ø	\$1,195.00
EBL 6202e	6200g	0.01g	6.3" ø / 160mm ø	\$1,695.00
EBL 3201e	3200g	0.1g	6.3" ø / 160mm ø	\$895.00
EBL 4201e	4200g	0.1g	6.3" ø / 160mm ø	\$945.00
EBL 6201e	6200g	0.1g	6.3" ø / 160mm ø	\$1,025.00
EBL 8201e	8200g	0.1g	6.3" ø / 160mm ø	\$1,125.00
EBL 12001e	12000g	0.1g	15.7"x11.8" / 400x300mm	\$1,525.00
EBL 16001e	16000g	0.1g	15.7"x11.8" / 400x300mm	\$1,925.00
EBL 22001e	22000g	0.1g	15.7"x11.8" / 400x300mm	\$2,725.00
EBL 32001e	32000g	0.1g	15.7"x11.8" / 400x300mm	\$3,175.00

Internal Calibration

Model	Capacity	Readability	Pan Size	Price
EBL 104i	100g	0.0001g	3.5" ø / 90mm ø	\$2,035.00
EBL 164i	160g	0.0001g	3.5" ø / 90mm ø	\$2,235.00
EBL 214i	210g	0.0001g	3.5" ø / 90mm ø	\$2,385.00
EBL 254i	250g	0.0001g	3.5" ø / 90mm ø	\$2,535.00
EBL 314i	310g	0.0001g	3.5" ø / 90mm ø	\$2,685.00
EBL 223i	220g	0.001g	4.7" ø / 120mm ø	\$1,195.00
EBL 423i	420g	0.001g	4.7" ø / 120mm ø	\$1,355.00
EBL 623i	620g	0.001g	4.7" ø / 120mm ø	\$1,575.00
EBL 823i	820g	0.001g	6.3" ø / 160mm ø	\$1,925.00
EBL 1023i	1020g	0.001g	6.3" ø / 160mm ø	\$2,025.00
EBL 1623i	1620g	0.001g	6.3" ø / 160mm ø	\$2,395.00
EBL 1602i	1600g	0.01g	6.3" ø / 160mm ø	\$1,125.00
EBL 2602i	2600g	0.01g	6.3" ø / 160mm ø	\$1,195.00
EBL 3602i	3600g	0.01g	6.3" ø / 160mm ø	\$1,295.00
EBL 4602i	4600g	0.01g	6.3" ø / 160mm ø	\$1,395.00
EBL 6202i	6200g	0.01g	6.3" ø / 160mm ø	\$1,895.00



With a choice of pan sizes, PGL delivers convenient portability and precision

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Removable draft shield on models with 0.001g readability helps to reduce errors caused by air currents
- Robust metal housing protects internal components in harsh environments
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface for connection to computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- External calibration allows for verification and adjustment with weights
- Audible overload alarm warns when capacity has been exceeded
- Optional hook enables below-balance weighing
- Selectable digital filtering helps minimize effects of vibration and disturbances
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- AC adapter included



Model	Capacity	Readability	Pan Size	Price
PGL 203	200g	0.001g	5.7"x4.9" / 145x125mm	\$725.00
PGL 303	300g	0.001g	5.7"x4.9" / 145x125mm	\$825.00
PGL 2002	2000g	0.01g	7.6"x7.6" / 192x192mm	\$725.00
PGL 3002	3000g	0.01g	7.6"x7.6" / 192x192mm	\$825.00
PGL 4001	4000g	0.1g	7.6"x7.6" / 192x192mm	\$675.00
PGL 6001	6000g	0.1g	7.6"x7.6" / 192x192mm	\$725.00
PGL 8001	8000g	0.1g	7.6"x7.6" / 192x192mm	\$795.00
PGL 12001	12000g	0.1g	7.6"x7.6" / 192x192mm	\$1,295.00
PGL 15001	15000g	0.1g	7.6"x7.6" / 192x192mm	\$1,595.00
PGL 10001	10000g	0.1g	15.7"x11.8" / 400x300mm	\$1,875.00
PGL 20001	20000g	0.1g	15.7"x11.8" / 400x300mm	\$2,295.00
PGL 30001	30000g	0.1g	15.7"x11.8" / 400x300mm	\$2,995.00

General Specifications

- Weighing units: mg, g, kg, lb, lb:oz, oz, N, GN, ct, dwt, ozt,
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 24mm-high digits
- Calibration: External calibration
- Housing: Die cast aluminum
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Density determination



Accessories

Item number	Description	Price
• 104008036	Anti-vibration table	\$675.00
• 106007453	Density kit for 0.001g models only	\$375.00
• 301007078	Dust cover	\$45.00
• 301207077	In-use wet cover	\$25.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 700100046	Kensington-type lock and cable	\$28.00
• 600002028	Adam DU data collection program	\$95.00
• 302126013	Below balance hanger	\$25.00
•	Calibration certificate	Contact Us



Highland® Portable Precision Balances

Fully featured, the Highland is an exceptional choice for portable precision weighing



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Balances stack efficiently and safely to save space (120mm pan size only)
- USB and RS-232 interfaces provide speedy communication with computers and printers
- Audible overload alarm warns when capacity has been exceeded
- Internal calibration eliminates need for external weight set
- Three-point ShockProtect® feature helps prevent overload damage to internal components
- Dual tare keys facilitate operation with either the left or right hand
- Security slot for optional Kensington-type lock and cable to help prevent theft
- Hook included for weighing below the balance
- Rechargeable battery included for operation almost anywhere
- AC adapter included

General Specifications

- Weighing units: g, lb, oz, N, GN, ct, dr, dwt, mm, ozt, T, tl.H, tl.S, tl.T
- Interface: RS-232 / USB
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 18mm-high digits
- Calibration: External calibration / Internal manual calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Weighing
- Parts counting
- Percentage weighing
- Accumulation

Model	Capacity	Readability	Pan Size	Price
HCB 123	120g	0.001g	4.7" ø / 120mm ø	\$425.00
HCB 153	150g	0.005g	4.7" ø / 120mm ø	\$345.00
HCB 302	300g	0.01g	4.7" ø / 120mm ø	\$335.00
HCB 602	600g	0.02g	4.7" ø / 120mm ø	\$345.00
HCB 602H	600g	0.01g	4.7" ø / 120mm ø	\$415.00
HCB 1002	1000g	0.01g	4.7" ø / 120mm ø	\$485.00
HCB 1502	1500g	0.05g	4.7" ø / 120mm ø	\$345.00
HCB 3001	3000g	0.1g	4.7" ø / 120mm ø	\$345.00



Accessories

Item number	Description	Price
• 308002042	Hard carrying case with lock	\$75.00
• 308232034	In-use wet cover (pack of 5)	\$85.00
• 308232035	In-use wet cover (pack of 10)	\$150.00
• 308232030	In-use wet cover	\$20.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010267	USB cable	\$35.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 700100046	Kensington-type lock and cable	\$28.00
• 600002028	Adam DU data collection program	\$95.00
•	Calibration certificate	Contact Us

2
year
warranty



Core® Portable Compact Balances

The most durable compact balance in its class, the Core is unmatched in value

Features

- Rugged construction stands up to industrial use
- Three-point ShockProtect® feature helps prevent overload damage to internal components
- Large, grade 304 stainless steel pan allows swift cleaning
- Audible overload alarm warns when capacity has been exceeded
- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Operates with AC adapter (included) or batteries (not included)
- Auto power-off to save energy
- Removable draft shield (120mm pan size only)
- Balances stack efficiently and safely to save space (120mm pan size only)
- Color-coded keys facilitate quick recognition of the most frequently used buttons



Model	Capacity	Readability	Pan Size	Price
CQT 202	200g	0.01g	4.7" ø / 120mm ø	\$240.00
CQT 251	250g	0.1g	4.7" ø / 120mm ø	\$110.00
CQT 601	600g	0.1g	4.7" ø / 120mm ø	\$155.00
CQT 1501	1500g	0.1g	4.7" ø / 120mm ø	\$225.00
CQT 2000	2000g	1g	5.7" ø / 145mm ø	\$110.00
CQT 2601	2600g	0.1g	5.7" ø / 145mm ø	\$280.00
CQT 5000	5000g	1g	5.7" ø / 145mm ø	\$155.00

General Specifications

- Weighing units: g, kg, lb, oz, N, GN, ct, dr, tL.T
- Power Supply: 12VAC 150mA adapter / 6 x AA batteries
- Display: Backlit LCD with 18mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Weighing



Accessories

Item number	Description	Price
• 308002042	Hard carrying case with lock	\$75.00
• 308232033	In-use wet cover	\$20.00
• 308232036	In-use wet cover (pack of 5)	\$85.00
• 308232037	In-use wet cover (pack of 10)	\$150.00
• 700100046	Kensington-type lock and cable	\$28.00
•	Calibration certificate	Contact Us

2
year
warranty



CB Compact Balances

Provides features and consistency for portable performance



Features

- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Sealed keypad protects against dirt and accidental spills
- Low-battery indicator alerts users when batteries need replacement
- Auto power-off to save energy
- Lightweight design simplifies transport and portability
- Vivid, backlit LCD easily visible in any lighting conditions
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Solid ABS housing is durable for industrial uses
- Optional 6VDC 200mA adapter

General Specifications

- Weighing units: g, lb, oz
- Power Supply: 2 x AA batteries / Optional 6VDC 200mA adapter
- Display: LCD with 12mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Weighing

Model	Capacity	Readability	Pan Size	Price
CB 501	500g	0.1g	5.1" ø / 130mm ø	\$79.00
CB 1001	1000g	0.1g	5.1" ø / 130mm ø	\$89.00
CB 3000	3000g	1g	5.1" ø / 130mm ø	\$79.00



1
year
warranty



Item number

700400123
700230015

Description

6VDC 200mA adapter
In-use wet cover
Calibration certificate

Price

\$30.00
\$15.00
Contact Us

Dune® Compact Balances

Streamlined design for basic weighing in the lab, classroom or field

Features

- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Solid ABS housing is durable for industrial uses
- Operates with AC adapter (included) or batteries (not included)
- Low-battery indicator alerts users when batteries need replacement
- Auto power-off to save energy
- High-contrast display is easily visible from a distance
- Lightweight design simplifies transport and portability
- Overload protection helps prevent damage to internal components
- Sealed keypad protects against dirt and accidental spills



Model	Capacity	Readability	Pan Size	Price
DCT 201	200g	0.1g	5.7"x5.7" / 145x145mm	\$79.00
DCT 2000	2000g	1g	5.7"x5.7" / 145x145mm	\$79.00
DCT 5000	5000g	2g	5.7"x5.7" / 145x145mm	\$79.00



General Specifications

- Weighing units: g, oz
- Power Supply: 12VAC 150mA adapter / 6 x AA batteries
- Display: LCD with 15mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Weighing

1
year
warranty



TBB Triple Beam Balances

A reliable, classic balance for performing mass measurement



Features

- Security slot for optional Kensington-type lock and cable to help prevent theft
- Magnetic damping slows pointer movement for faster readings
- Notched, tiered, graduated beams ensure positive positioning and accurate reading of results
- Integrated rulers in centimeters and inches lets users measure length
- Storage space included for stowing weights when not in use
- Optional hook enables below-balance weighing
- Large, grade 304 stainless steel pan allows swift cleaning

General Specifications

- Weighing units: g
- Power Supply: N/A
- Display: Graduated beam with 7mm-high digits
- Calibration: External calibration
- Housing: Die cast aluminum

Applications

- Weighing

Model	Capacity	Readability	Pan Size	Price
TBB 610S	610g	0.1g	6" ø / 152mm ø	\$99.00
TBB 2610S	2610g	0.1g	6" ø / 152mm ø	\$131.00
TBB 2610T	2610g	0.1g	6" ø / 152mm ø	\$142.00



Accessoires

Item number

- 700100211
- 700100046
- 700100213
- 700100225

Description

- Hard carrying case with lock
- Kensington-type lock and cable
- Tripod legs
- Weight set

Price

- \$65.00
- \$28.00
- \$18.00
- \$28.00

5

year
warranty



Moisture Analyzer

PMB Moisture Analyzer 14



PMB Moisture Analyzer

No other moisture analyzer offers as much connectivity, with the ability to easily store test settings and collect data



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Pan lifter allows easy sample placement and removal
- USB and RS-232 interfaces provide speedy communication with computers and printers
- USB host for memory card and USB I/O interface
- Temperature range 50°C to 160°C in one-degree increments
- Three settings for heating sample include ramp-up, stepped temperatures and single temperature
- Seven preset drying modes allow test routines for several products
- Testing can be set to start automatically when lid closes
- Color-coded keys facilitate quick recognition of the most frequently used buttons

General Specifications

- Weighing units: g, %M, %S, ATRO %M, ATRO %S
- Interface: RS-232 / USB
- Power Supply: Power cord
- Display: Backlit LCD with 24mm-high digits
- Calibration: External calibration
- Housing: Die cast aluminum
- Operating Temperature: 0° to 40°C / 32° to 104°F

Model	Capacity	Readability	Pan Size	Price
PMB 53	50g	0.001g / 0.01%	3.9" ø / 100mm ø	\$2,325.00
PMB 202	200g	0.01g / 0.05%	3.9" ø / 100mm ø	\$1,995.00



Applications

- Weighing
- Moisture determination

Accessories

Item number	Description	Price
• 104008036	Anti-vibration table	\$675.00
• 1070010636	Temperature calibration kit	\$250.00
• 301208188	In-use wet cover	\$25.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010267	USB cable	\$35.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 307140001	Disposable sample pans (pack of 250)	\$175.00
• 700100046	Kensington-type lock and cable	\$28.00
• 600002028	Adam DU data collection program	\$95.00
•	Calibration certificate	Contact Us


3
year
warranty



Weighing Scales

CPW <i>plus</i> Weighing Scales.....	16
LBK Weighing Scales	18
CBK Bench Checkweighing Scales.....	19
GBK Bench Checkweighing Scales.....	20
ABK Bench Weighing Scales.....	21
GFK Floor Checkweighing Scales	22
AFK Floor Weighing Scales.....	23

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



CPWplus Weighing Scales

The most flexible series of scales, offering multiple configurations to suit a variety of applications



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface for connection to computers and printers
- Robust metal housing protects internal components in harsh environments
- Large, grade 304 stainless steel pan allows swift cleaning
- Wall-mount bracket for placing indicator on vertical surface
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Auto power-off to save energy

Applications

- Weighing
- Display hold

General Specifications

- Weighing units: kg, lb, lb:oz, oz
- Interface: RS-232
- Power Supply: 12VAC 150mA adapter / 6 x AA batteries or internal battery
- Display: Backlit LCD with 22mm-high digits
- Calibration: External calibration
- Housing: Extruded aluminum
- Operating Temperature: 0° to 40°C / 32° to 104°F

Accessories

Item number	Description	Price
• 700100099	Hard carrying case with lock	\$85.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 700200059	Non-slip rubber mat (CPWplus L only)	\$35.00
• 600002028	Adam DU data collection program	\$95.00
•	Calibration certificate	Contact Us

1
year
warranty



Model	Capacity	Readability	Pan Size	Price
CPWplus 6	13lb / 6kg	0.005lb / 0.002kg	11.8"x11.8" / 300x300mm	\$195.00
CPWplus 15	33lb / 15kg	0.01lb / 0.005kg	11.8"x11.8" / 300x300mm	\$195.00
CPWplus 35	75lb / 35kg	0.02lb / 0.01kg	11.8"x11.8" / 300x300mm	\$195.00
CPWplus 75	165lb / 75kg	0.05lb / 0.02kg	11.8"x11.8" / 300x300mm	\$195.00
CPWplus 150	330lb / 150kg	0.1lb / 0.05kg	11.8"x11.8" / 300x300mm	\$205.00
CPWplus 200	440lb / 200kg	0.1lb / 0.05kg	11.8"x11.8" / 300x300mm	\$215.00
CPWplus 6P	13lb / 6kg	0.005lb / 0.002kg	11.8"x11.8" / 300x300mm	\$295.00
CPWplus 15P	33lb / 15kg	0.01lb / 0.005kg	11.8"x11.8" / 300x300mm	\$295.00
CPWplus 35P	75lb / 35kg	0.02lb / 0.01kg	11.8"x11.8" / 300x300mm	\$295.00
CPWplus 75P	165lb / 75kg	0.05lb / 0.02kg	11.8"x11.8" / 300x300mm	\$295.00
CPWplus 150P	330lb / 150kg	0.1lb / 0.05kg	11.8"x11.8" / 300x300mm	\$305.00
CPWplus 200P	440lb / 200kg	0.1lb / 0.05kg	11.8"x11.8" / 300x300mm	\$315.00
CPWplus 35M	75lb / 35kg	0.02lb / 0.01kg	19.7"x19.7" / 500x500mm	\$350.00
CPWplus 75M	165lb / 75kg	0.05lb / 0.02kg	19.7"x19.7" / 500x500mm	\$360.00
CPWplus 150M	330lb / 150kg	0.1lb / 0.05kg	19.7"x19.7" / 500x500mm	\$370.00
CPWplus 200M	440lb / 200kg	0.1lb / 0.05kg	19.7"x19.7" / 500x500mm	\$380.00
CPWplus 35W	75lb / 35kg	0.02lb / 0.01kg	19.7"x19.7" / 500x500mm	\$425.00
CPWplus 75W	165lb / 75kg	0.05lb / 0.02kg	19.7"x19.7" / 500x500mm	\$435.00
CPWplus 150W	330lb / 150kg	0.1lb / 0.05kg	19.7"x19.7" / 500x500mm	\$445.00
CPWplus 200W	440lb / 200kg	0.1lb / 0.05kg	19.7"x19.7" / 500x500mm	\$455.00
CPWplus 35L	75lb / 35kg	0.02lb / 0.01kg	35.4"x23.6" / 900x600mm	\$525.00
CPWplus 75L	165lb / 75kg	0.05lb / 0.02kg	35.4"x23.6" / 900x600mm	\$535.00
CPWplus 150L	330lb / 150kg	0.1lb / 0.05kg	35.4"x23.6" / 900x600mm	\$545.00
CPWplus 200L	440lb / 200kg	0.1lb / 0.05kg	35.4"x23.6" / 900x600mm	\$555.00
CPWplus 300L	660lb / 300kg	0.2lb / 0.1kg	35.4"x23.6" / 900x600mm	\$575.00



LBK Weighing Scales

An outstanding value for quick, basic weighing



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Level indicator and adjusting feet ensure proper balance setup for optimum weighing results
- Splash-proof housing, keypad and display mean easy cleaning and peace of mind
- Lightweight design simplifies transport and portability
- Audible overload alarm warns when capacity has been exceeded
- Parts counting with preset sample sizes
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

General Specifications

- Weighing units: g, kg, lb, lb:oz, oz
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 24mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Model	Capacity	Readability	Pan Size	Price
LBK 6a	6lb / 3kg	0.001lb / 0.5g	9.8"x7.1" / 250x180mm	\$175.00
LBK 12a	12lb / 6kg	0.002lb / 1g	9.8"x7.1" / 250x180mm	\$175.00
LBK 25a	25lb / 12kg	0.005lb / 2g	9.8"x7.1" / 250x180mm	\$175.00
LBK 65a	65lb / 30kg	0.01lb / 5g	9.8"x7.1" / 250x180mm	\$175.00



Applications

- Weighing
- Parts counting
- Percentage weighing

Accessories

Item number

- 700200056
- 700200063
- 700200064
-

Description

- In-use wet cover
- In-use wet cover (pack of 5)
- In-use wet cover (pack of 10)
- Calibration certificate

Price

- \$20.00
- \$85.00
- \$150.00
- Contact Us



CBK Bench Checkweighing Scales

Powerful choice for reliability in industrial weighing and counting

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Sealed keypad protects against dirt and accidental spills
- Quick and easy configuration using the keypad
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with freely selectable sample sizes
- Internal counting resolution 1:400,000 for precision results
- Memory accumulation totals results
- Rugged construction stands up to industrial use
- RS-232 interface for connection to computers and printers
- Optional USB interface simplifies data communication
- Audible overload alarm warns when capacity has been exceeded
- Large, grade 304 stainless steel pan allows swift cleaning
- Rechargeable battery included for operation almost anywhere



Model	Capacity	Readability	Pan Size	Price
CBK 8a	8lb / 4kg	0.0002lb / 0.1g	8.9"x10.8" / 225x275mm	\$395.00
CBK 16a	16lb / 8kg	0.0005lb / 0.2g	8.9"x10.8" / 225x275mm	\$395.00
CBK 16aH	16lb / 8kg	0.0002lb / 0.1g	8.9"x10.8" / 225x275mm	\$495.00
CBK 35a	35lb / 16kg	0.001lb / 0.5g	8.9"x10.8" / 225x275mm	\$395.00
CBK 70a	70lb / 32kg	0.002lb / 1g	8.9"x10.8" / 225x275mm	\$395.00
CBK 100a	100lb / 48kg	0.005lb / 2g	8.9"x10.8" / 225x275mm	\$395.00
CBK 8a w/USB	8lb / 4kg	0.0002lb / 0.1g	8.9"x10.8" / 225x275mm	\$470.00
CBK 16a w/USB	16lb / 8kg	0.0005lb / 0.2g	8.9"x10.8" / 225x275mm	\$470.00
CBK 16aH w/USB	16lb / 8kg	0.0002lb / 0.1g	8.9"x10.8" / 225x275mm	\$570.00
CBK 35a w/USB	35lb / 16kg	0.001lb / 0.5g	8.9"x10.8" / 225x275mm	\$470.00
CBK 70a w/USB	70lb / 32kg	0.002lb / 1g	8.9"x10.8" / 225x275mm	\$470.00
CBK 100a w/USB	100lb / 48kg	0.005lb / 2g	8.9"x10.8" / 225x275mm	\$470.00

General Specifications

- Weighing units: g, kg, lb, lb:oz, oz
- Interface: RS-232 / Optional USB
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Accumulation



Accessories

Item number	Description	Price
• 302000001	Hard carrying case with lock	\$85.00
• 302205006	In-use wet cover	\$20.00
• 700200057	In-use wet cover (pack of 5)	\$85.00
• 700200058	In-use wet cover (pack of 10)	\$150.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 600002028	Adam DU data collection program	\$95.00
• 202000001	Weigh-below hook (factory fitted)	\$125.00
•	Calibration certificate	Contact Us

2
year
warranty



GBK Bench Checkweighing Scales

The best solution for demanding industrial and manufacturing tasks



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with freely selectable sample sizes
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Large, grade 304 stainless steel pan allows swift cleaning
- Sealed keypad protects against dirt and accidental spills
- Audible overload alarm warns when capacity has been exceeded
- RS-232 interface for connection to computers and printers
- Rechargeable battery included for operation almost anywhere

General Specifications

- Weighing units: g, kg, lb, lb:oz, oz
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

Model	Capacity	Readability	Pan Size	Price
GBK 16a	16lb / 8kg	0.0002lb / 0.1g	11.8"x15.7" / 300x400mm	\$575.00
GBK 35a	35lb / 16kg	0.001lb / 0.5g	11.8"x15.7" / 300x400mm	\$475.00
GBK 70a	70lb / 32kg	0.002lb / 1g	11.8"x15.7" / 300x400mm	\$525.00
GBK 130a	130lb / 60kg	0.005lb / 2g	11.8"x15.7" / 300x400mm	\$525.00
GBK 260a	260lb / 120kg	0.01lb / 5g	11.8"x15.7" / 300x400mm	\$555.00

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing
- Accumulation

NTEP/Measurement Canada Approved

Model	Capacity	Readability	Pan Size	Price
GBK 15aM	15lb / 6kg	0.002lb / 1g	11.8"x15.7" / 300x400mm	\$650.00
GBK 30aM	30lb / 15kg	0.005lb / 2g	11.8"x15.7" / 300x400mm	\$550.00
GBK 60aM	60lb / 30kg	0.01lb / 5g	11.8"x15.7" / 300x400mm	\$600.00
GBK 150aM	150lb / 60kg	0.02lb / 0.01kg	11.8"x15.7" / 300x400mm	\$600.00
GBK 300aM	300lb / 150kg	0.05lb / 0.02kg	11.8"x15.7" / 300x400mm	\$630.00



Accessories


Item number	Description	Price
• 3052010526	In-use wet cover	\$20.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 600002028	Adam DU data collection program	\$95.00
•	Calibration certificate	Contact Us

ABK Bench Weighing Scales

The right combination of features and performance make the ABK a winner for industrial applications

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with preset sample sizes
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Selectable digital filtering for animal/dynamic weighing delivers stable results for moving subjects
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and accidental spills
- Audible overload alarm warns when capacity has been exceeded
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface for connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy
- Wall-mount bracket for placing indicator on vertical surface



Model	Capacity	Readability	Pan Size	Price
ABK 16a	16lb / 8000g	0.0005lb / 0.2g	11.8"x15.7" / 300x400mm	\$715.00
ABK 35a	35lb / 16kg	0.001lb / 0.5g	11.8"x15.7" / 300x400mm	\$615.00
ABK 70a	70lb / 32kg	0.002lb / 1g	11.8"x15.7" / 300x400mm	\$665.00
ABK 130a	130lb / 60kg	0.005lb / 2g	11.8"x15.7" / 300x400mm	\$665.00
ABK 260a	260lb / 120kg	0.01lb / 5g	11.8"x15.7" / 300x400mm	\$695.00

General Specifications

- Weighing units: g, kg, lb, lb:oz, N
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 40mm-high digits
- Calibration: External calibration
- Housing: Stainless steel indicator with die cast aluminum base
- Operating Temperature: -10° to 40°C / 14° to 104°F



Applications

- Weighing
- Parts counting
- Checkweighing
- Dynamic / animal weighing
- Percentage weighing

Accessories

Item number

- 3102311619
- 700400103
- 3074010507
- 1120011156
- 3126011263
- 3126011281
- 1100011297
- 600002028
-

Description

- In-use wet cover
- RS-232 cable
- RS-232 to USB adapter (must order corresponding RS-232 cable)
- ATP thermal printer
- Thermal paper (for item no. 1120011156-ATP printer)
- Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)
- AE402 relay box
- Adam DU data collection program
- Calibration certificate

Price

- \$20.00
- \$35.00
- \$50.00
- \$335.00
- \$14.00
- \$90.00
- \$185.00
- \$95.00
- Contact Us

2
year
warranty



GFK Floor Checkweighing Scales

Industrial scale's proven strength brings large-scale benefits



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with freely selectable sample sizes
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Rugged construction stands up to industrial use
- Large, grade 304 stainless steel pan allows swift cleaning
- Sealed keypad protects against dirt and accidental spills
- RS-232 interface for connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Selectable digital filtering for animal/dynamic weighing delivers stable results for moving subjects

General Specifications

- Weighing units: g, kg, lb, lb:oz, oz
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

Model	Capacity	Readability	Pan Size	Price
GFK 165a	165lb / 75kg	0.01lb / 5g	15.7"x19.7" / 400x500mm	\$595.00
GFK 165aH	165lb / 75kg	0.002lb / 1g	15.7"x19.7" / 400x500mm	\$875.00
GFK 330a	330lb / 150kg	0.02lb / 0.01kg	15.7"x19.7" / 400x500mm	\$595.00
GFK 330aH	330lb / 150kg	0.005lb / 2g	15.7"x19.7" / 400x500mm	\$875.00
GFK 660a	660lb / 300kg	0.05lb / 0.02kg	15.7"x19.7" / 400x500mm	\$645.00
GFK 1320a	1320lb / 600kg	0.1lb / 0.05kg	23.6"x31.5" / 600x800mm	\$895.00

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Checkcounting
- Dynamic / animal weighing

NTEP/Measurement Canada Approved

Model	Capacity	Readability	Pan Size	Price
GFK 150aM	150lb / 60kg	0.02lb / 0.01kg	15.7"x19.7" / 400x500mm	\$670.00
GFK 300aM	300lb / 150kg	0.05lb / 0.02kg	15.7"x19.7" / 400x500mm	\$670.00
GFK 600aM	660lb / 300kg	0.1lb / 0.05kg	15.7"x19.7" / 400x500mm	\$720.00



2
year
warranty



Accessories

Item number	Description	Price
• 3052010526	In-use wet cover	\$20.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 600002028	Adam DU data collection program	\$95.00
•	Calibration certificate	Contact Us

AFK Floor Weighing Scales

Extra-large pan for weighing oversized items or counting large quantities

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Checkweighing with audible alarm
- Parts counting with preset sample sizes
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Selectable digital filtering for animal/dynamic weighing delivers stable results for moving subjects
- Rugged construction stands up to industrial use
- Sealed keypad protects against dirt and accidental spills
- Audible overload alarm warns when capacity has been exceeded
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface for connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy
- Wall-mount bracket for placing indicator on vertical surface



Model	Capacity	Readability	Pan Size	Price
AFK 165a	165lb / 75kg	0.01lb / 0.005kg	15.7"x19.7" / 400x500mm	\$745.00
AFK 330a	330lb / 150kg	0.02lb / 0.01kg	15.7"x19.7" / 400x500mm	\$745.00
AFK 660a	660lb / 300kg	0.05lb / 0.02kg	15.7"x19.7" / 400x500mm	\$795.00
AFK 1320a	1320lb / 600kg	0.1lb / 0.05kg	23.6"x31.5" / 600x800mm	\$1,045.00

General Specifications

- Weighing units: g, kg, lb, lb:oz, oz, N
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 40mm-high digits
- Calibration: External calibration
- Housing: Stainless steel indicator with die cast aluminum base
- Operating Temperature: -10° to 40°C / 14° to 104°F



Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing

Accessories

Item number	Description	Price
• 3102311619	In-use wet cover	\$20.00
• 700400103	RS-232 cable	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 1100011297	AE402 relay box	\$185.00
• 600002028	Adam DU data collection program	\$95.00
•	Calibration certificate	Contact Us



Counting Scales

CBC Bench Counting Scales.....	25
CBD Bench Counting Scales	26
CBD+ Counting Scales with Remote Platform.....	27
GBC Bench Counting Scales	28
GFC Floor Counting Scales.....	29

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



CBC Bench Counting Scales

Industrial counting and checkcounting made easy with triple LCD

Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Large, grade 304 stainless steel pan allows swift cleaning
- Heavy-duty rubber feet ensure stability of unit
- Rechargeable battery included for operation almost anywhere
- Auto power-off to save energy
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing



Model	Capacity	Readability	Pan Size	Price
CBC 8a	8lb / 4kg	0.0002lb / 0.0001kg	8.9"x10.8" / 225x275mm	\$425.00
CBC 16a	16lb / 8kg	0.0005lb / 0.0002kg	8.9"x10.8" / 225x275mm	\$425.00
CBC 35a	35lb / 16kg	0.001lb / 0.0005kg	8.9"x10.8" / 225x275mm	\$425.00
CBC 70a	70lb / 32kg	0.002lb / 0.001kg	8.9"x10.8" / 225x275mm	\$425.00
CBC 100a	100lb / 48kg	0.005lb / 0.002kg	8.9"x10.8" / 225x275mm	\$425.00
CBC 8a w/USB	8lb / 4kg	0.0002lb / 0.0001kg	8.9"x10.8" / 225x275mm	\$500.00
CBC 16a w/USB	16lb / 8kg	0.0005lb / 0.0002kg	8.9"x10.8" / 225x275mm	\$500.00
CBC 35a w/USB	35lb / 16kg	0.001lb / 0.0005kg	8.9"x10.8" / 225x275mm	\$500.00
CBC 70a w/USB	70lb / 32kg	0.002lb / 0.001kg	8.9"x10.8" / 225x275mm	\$500.00
CBC 100a w/USB	100lb / 48kg	0.005lb / 0.002kg	8.9"x10.8" / 225x275mm	\$500.00

General Specifications

- Weighing units: g, lb
- Interface: RS-232 / Optional USB
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Parts counting
- Checkcounting
- Weighing
- Accumulation



Accessories

Item number

- 302000001 Hard carrying case with lock
- 302205006 In-use wet cover
- 700200057 In-use wet cover (pack of 5)
- 700200058 In-use wet cover (pack of 10)
- 3074010266 RS-232 cable (null-modem)
- 3074010507 RS-232 to USB adapter (must order corresponding RS-232 cable)
- 1120011156 ATP thermal printer
- 3126011263 Thermal paper (for item no. 1120011156-ATP printer)
- 3126011281 Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)
- 600002028 Adam DU data collection program
- Calibration certificate

Description

Price

- \$85.00
- \$20.00
- \$85.00
- \$150.00
- \$35.00
- \$50.00
- \$335.00
- \$14.00
- \$90.00
- \$95.00
- Contact Us

2
year
warranty



CBD Bench Counting Scales

Expedite complex, high-volume counting tasks with greater accuracy



Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Product Look Up (PLU) memory locations for storing a range of items for recall as needed
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Programmable for counting to a preset number of parts
- Preset tare function speeds the process of repetitive weighing
- RS-232 interface for connection to computers and printers
- Optional USB interface simplifies data communication
- Supports connection to platforms with up to four load cells
- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Security password control prevents unauthorized access

General Specifications

- Weighing units: kg, lb
- Interface: RS-232 / Second scale port / Optional USB
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Weighing
- Parts counting
- Checkcounting
- Accumulation
- Dual scale operation

Model	Capacity	Readability	Pan Size	Price
CBD 8a	8lb / 4kg	0.0002lb / 0.1g	8.9"x10.8" / 225x275mm	\$645.00
CBD 16a	16lb / 8kg	0.0005lb / 0.2g	8.9"x10.8" / 225x275mm	\$645.00
CBD 35a	35lb / 16kg	0.001lb / 0.5g	8.9"x10.8" / 225x275mm	\$645.00
CBD 70a	70lb / 32kg	0.002lb / 1g	8.9"x10.8" / 225x275mm	\$645.00
CBD 100a	100lb / 48kg	0.005lb / 2g	8.9"x10.8" / 225x275mm	\$645.00
CBD 8a w/USB	8lb / 4kg	0.0002lb / 0.1g	8.9"x10.8" / 225x275mm	\$720.00
CBD 16a w/USB	16lb / 8kg	0.0005lb / 0.2g	8.9"x10.8" / 225x275mm	\$720.00
CBD 35a w/USB	35lb / 16kg	0.001lb / 0.5g	8.9"x10.8" / 225x275mm	\$720.00
CBD 70a w/USB	70lb / 32kg	0.002lb / 1g	8.9"x10.8" / 225x275mm	\$720.00
CBD 100a w/USB	100lb / 48kg	0.005lb / 2g	8.9"x10.8" / 225x275mm	\$720.00



Accessories

Item number

- 302000001
- 302205006
- 700200057
- 700200058
- 3074010266
- 3074010507
- 1120011156
- 3126011263
- 3126011281
- 600002028
-

Description

- Hard carrying case with lock
- In-use wet cover
- In-use wet cover (pack of 5)
- In-use wet cover (pack of 10)
- RS-232 cable (null-modem)
- RS-232 to USB adapter (must order corresponding RS-232 cable)
- ATP thermal printer
- Thermal paper (for item no. 1120011156-ATP printer)
- Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)
- Adam DU data collection program
- Calibration certificate

Price

- \$85.00
- \$20.00
- \$85.00
- \$150.00
- \$35.00
- \$50.00
- \$335.00
- \$14.00
- \$90.00
- \$95.00
- Contact Us



CBD+ Counting Scales with Remote Platform

A single bundled solution at an unbeatable value for large counting applications

Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Product Look Up (PLU) memory locations for storing a range of items for recall as needed
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Programmable for counting to a preset number of parts
- Preset tare function speeds the process of repetitive weighing
- RS-232 interface for connection to computers and printers
- Optional USB interface simplifies data communication
- Supports connection to platforms with up to four load cells
- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy
- Security password control prevents unauthorized access



Model	Capacity	Readability	Pan Size	List Price
CBD 8a-70a (GB Platform)	8lb-70Lb / 4kg-32kg	0.0002lb-0.002lb / 0.1g-1g	8.9"x10.8" / 225x275mm 11.8"x15.7" / 300x400mm	\$800.00
CBD 8a-130a (GB Platform)	8lb-130Lb / 4kg-60kg	0.0002lb-0.005lb / 0.1g-2g	8.9"x10.8" / 225x275mm 11.8"x15.7" / 300x400mm	\$800.00
CBD 8a-330a (GF Platform)	8lb-330Lb / 4kg-150kg	0.0002lb-0.02lb / 0.1g-10g	8.9"x10.8" / 225x275mm 15.7"x19.7" / 400x500mm	\$820.00
CBD 35a-130a (GB Platform)	35lb-130Lb / 16kg-60kg	0.001lb-0.005lb / 0.5g-2g	8.9"x10.8" / 225x275mm 11.8"x15.7" / 300x400mm	\$800.00
CBD 35a-330a (GF Platform)	35lb-330Lb / 16kg-150kg	0.001lb-0.02lb / 0.5g-10g	8.9"x10.8" / 225x275mm 11.8"x15.7" / 300x400mm	\$820.00
CBD 35a-1320a (GF Platform)	35lb-1320Lb / 16kg-600kg	0.001lb-0.1lb / 0.5g-50g	8.9"x10.8" / 225x275mm 23.6"x31.5" / 600x500mm	\$1,120.00
CBD 70a-330a (GF Platform)	70lb-330Lb / 32kg-150kg	0.002lb-0.02lb / 1g-10g	8.9"x10.8" / 225x275mm 11.8"x15.7" / 300x400mm	\$820.00
CBD 70a-660a (GF Platform)	70lb-660Lb / 32kg-300kg	0.002lb-0.05lb / 1g-20g	8.9"x10.8" / 225x275mm 11.8"x15.7" / 300x400mm	\$920.00
CBD 70a-1320a (GF Platform)	70lb-1320Lb / 32kg-600kg	0.002lb-0.1lb / 1g-50g	8.9"x10.8" / 225x275mm 23.6"x31.5" / 600x500mm	\$1,120.00

General Specifications (CBD)

- Weighing units: kg, lb
- Interface: RS-232 / Second scale port / Optional USB
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

General Specifications (Platform)

- Housing: Die cast aluminum

Applications

- Weighing
- Parts counting
- Checkcounting
- Accumulation
- Dual scale operation



Accessories

Item number

- 302205006
- 700200057
- 700200058
- 3074010266
- 3074010507
- 1120011156
- 3126011263
- 3126011281
- 600002028
-

Description

- In-use wet cover
- In-use wet cover (pack of 5)
- In-use wet cover (pack of 10)
- RS-232 cable (null-modem)
- RS-232 to USB adapter (must order corresponding RS-232 cable)
- ATP thermal printer
- Thermal paper (for item no. 1120011156-ATP printer)
- Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)
- Adam DU data collection program
- Calibration certificate

Price

- \$20.00
- \$85.00
- \$150.00
- \$35.00
- \$50.00
- \$335.00
- \$14.00
- \$90.00
- \$95.00
- Contact Us

2
year
warranty



GBC Bench Counting Scales

Exceptional durability for industrial counting needs



Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Remote display can be placed anywhere near the base unit for convenient viewing
- Rugged construction stands up to industrial use
- Large, grade 304 stainless steel pan allows swift cleaning
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface for connection to computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Audible overload alarm warns when capacity has been exceeded
- Internal counting resolution 1:600,000 for precision results
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

General Specifications

- Weighing units: kg, lb
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

Model	Capacity	Readability	Pan Size	Price
GBC 35a	35lb / 16kg	0.001lb / 0.5g	11.8"x15.7" / 300x400mm	\$555.00
GBC 70a	70lb / 32kg	0.002lb / 1g	11.8"x15.7" / 300x400mm	\$595.00
GBC 130a	130lb / 60kg	0.005lb / 2g	11.8"x15.7" / 300x400mm	\$595.00



Applications

- Weighing
- Parts counting
- Checkcounting

Accessories

Item number	Description	Price
• 3052010526	In-use wet cover	\$20.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 600002028	Adam DU data collection program	\$95.00
•	Calibration certificate	Contact Us



GFC Floor Counting Scales

A sturdy, powerful asset when counting large items

Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Remote display can be placed anywhere near the base unit for convenient viewing
- Rugged construction stands up to industrial use
- Large, grade 304 stainless steel pan allows swift cleaning
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface for connection to computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Audible overload alarm warns when capacity has been exceeded
- Internal counting resolution 1:600,000 for precision results
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy



Model	Capacity	Readability	Pan Size	Price
GFC 165a	165lb / 75kg	0.01lb / 5g	15.7"x19.7" / 400x500mm	\$695.00
GFC 330a	330lb / 150kg	0.02lb / 0.01kg	15.7"x19.7" / 400x500mm	\$695.00
GFC 660a	660lb / 300kg	0.05lb / 0.02kg	15.7"x19.7" / 400x500mm	\$795.00



General Specifications

- Weighing units: kg, lb
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

Applications

- Weighing
- Parts counting
- Checkcounting

Accessories

Item number

- 3052010526
- 3074010266
- 3074010507
- 1120011156
- 3126011263
- 3126011281
- 600002028
-

Description

- In-use wet cover
- RS-232 cable (null-modem)
- RS-232 to USB adapter (must order corresponding RS-232 cable)
- ATP thermal printer
- Thermal paper (for item no. 1120011156-ATP printer)
- Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)
- Adam DU data collection program
- Calibration certificate

Price

- \$20.00
- \$35.00
- \$50.00
- \$335.00
- \$14.00
- \$90.00
- \$95.00
- Contact Us



Washdown Scales

WBW Washdown Scales31
Warrior® Washdown Scales32

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



WBW Washdown Scales

Speed up checkweighing with the WBW's color indicators

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Optional rear display doubles equipment placement possibilities for easy viewing
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- IP66 rated for protection against water and dust
- Sealed keypad protects against dirt and accidental spills
- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Heavy-duty rubber feet ensure stability of unit
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy



Model	Capacity	Readability	Pan Size	List Price
WBW 5a	5lb / 2kg	0.0005lb / 0.2g	8.3"x6.8" / 210x173mm	\$305.00
WBW 9a	9lb / 4kg	0.001lb / 0.5g	8.3"x6.8" / 210x173mm	\$305.00
WBW 18a	18lb / 8kg	0.002lb / 1g	8.3"x6.8" / 210x173mm	\$305.00
WBW 35a	35lb / 16kg	0.005lb / 2g	8.3"x6.8" / 210x173mm	\$305.00

General Specifications

- Weighing units: g, kg, lb, lb:oz
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

NTEP/Measurement Canada Approved

Model	Capacity	Readability	Pan Size	List Price
WBW 6aM	6lb / 3kg	0.002lb / 1g	8.3"x6.8" / 210x173mm	\$325.00
WBW 15aM	15lb / 6kg	0.005lb / 2g	8.3"x6.8" / 210x173mm	\$325.00
WBW 30aM	30lb / 15kg	0.01lb / 5g	8.3"x6.8" / 210x173mm	\$325.00

Applications

- Weighing
- Checkweighing



Accessories

Item number

- 303209190
- 303200002
- 303200003
-

Description

- In-use wet cover
- In-use wet cover (pack of 10)
- In-use wet cover (pack of 20)
- Calibration certificate

Price


- \$20.00
- \$150.00
- \$280.00
- Contact Us

1
year
warranty



Warrior® Washdown Scales

Strength, performance and intuitive features, for industrial washdown settings



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- IP66 rated for protection against water and dust
- Sealed keypad protects against dirt and accidental spills
- Selectable digital filtering for animal/dynamic weighing delivers stable results for moving subjects
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Rugged stainless steel construction for ultimate durability
- Heavy-duty rubber feet ensure stability of unit
- Large, grade 304 stainless steel pan allows swift cleaning
- RS-232 interface for connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy

General Specifications

- Weighing units: g, kg, lb, lb:oz, oz, N
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 40mm-high digits
- Calibration: External calibration
- Housing: Stainless steel
- Operating Temperature: -10° to 40°C / 14° to 104°F

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing

Model	Capacity	Readability	Pan Size	List Price
WSK 16a	16lb / 8kg	0.001lb / 0.5g	9.8"x9.8" / 250x250mm	\$875.00
WSK 35a	35lb / 16kg	0.002lb / 1g	9.8"x9.8" / 250x250mm	\$875.00
WSK 70a	70lb / 32kg	0.005lb / 2g	9.8"x9.8" / 250x250mm	\$875.00
WBK 70aH	70lb / 32kg	0.002lb / 1g	11.8"x15.7" / 300x400mm	\$1,125.00
WBK 70a	70lb / 32kg	0.005lb / 2g	11.8"x15.7" / 300x400mm	\$975.00
WBK 165a	165lb / 75kg	0.01lb / 5g	11.8"x15.7" / 300x400mm	\$975.00
WFK 165aH	165lb / 75kg	0.002lb / 1g	15.7"x19.7" / 400x500mm	\$1,475.00
WFK 165a	165lb / 75kg	0.01lb / 5g	15.7"x19.7" / 400x500mm	\$1,325.00
WFK 330a	330lb / 150kg	0.02lb / 0.01kg	15.7"x19.7" / 400x500mm	\$1,325.00
WLK 330a	330lb / 150kg	0.02lb / 0.01kg	17.7"x23.6" / 450x600mm	\$1,525.00



Accessories

Item number	Description	Price
• 3102311619	In-use wet cover	\$20.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 1100011297	AE402 relay box	\$185.00
•	Calibration certificate	Contact Us

Retail Scales

WBZ Washdown Retail Scales 34

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



WBZ Washdown Retail Scales

Portable, durable IP66-rated scale for price computing in retail locations



Features

- Backlit LCD shows weight, unit price and total price, to provide all key information simultaneously
- Rear display mounted on a pillar or back of the scale lets customers see key data
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- IP66 rated for protection against water and dust
- Sealed keypad protects against dirt and accidental spills
- Large, grade 304 stainless steel pan allows swift cleaning
- Overload protection helps prevent damage to internal components
- Level indicator and adjusting feet ensure proper balance setup for optimum weighing results
- Preset tare function speeds the process of repetitive weighing
- Price displayed in choice of available currencies
- Switchable between price per kg and price per 100g or price per lb
- Selectable auto-clear function enables the last item to be reset each time the scale returns to zero
- Security password control prevents unauthorized access
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy

NTEP/Measurement Canada Approved

Model	Capacity	Readability	Pan Size	Price
WBZ 6a	6lb / 3kg	0.002lb / 1g	8.3"x6.8" / 210x173mm	\$355.00
WBZ 15a	15lb / 6kg	0.005lb / 2g	8.3"x6.8" / 210x173mm	\$355.00
WBZ 30a	30lb / 15kg	0.01lb / 5g	8.3"x6.8" / 210x173mm	\$355.00



General Specifications

- Weighing units: kg, lb
- Power Supply: 12VDC 800mA adapter
- Display: Backlit LCD with 16mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

Applications

- Weighing
- Price computing

Accessories

Item number	Description	Price
• 303209190	In-use wet cover	\$20.00
• 303200002	In-use wet cover (pack of 10)	\$150.00
• 303200003	In-use wet cover (pack of 20)	\$280.00



Crane Scales

SHS Crane Scales.....	36
LHS Crane Scales.....	37
IHS Crane Scales.....	38

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



SHS Crane Scales

Easily weigh oversized, suspended items



Features

- Bright LED display for easy viewing in most environments
- Rotating hook allows easy access while loading, then safely locks in place during weighing
- Remote control allows safe, hands-free operation
- Rugged construction stands up to industrial use
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

General Specifications

- Weighing units: kg, lb
- Power Supply: AC adapter / 4 x AA batteries / Internal rechargeable battery
- Display: LED with 15mm-high digits
- Calibration: External calibration
- Housing: Polycarbonate
- Operating Temperature: 0° to 40°C / 32° to 104°F

Model	Capacity	Readability	Price
SHS 100a	100lb / 50kg	0.02lb / 0.01kg	\$455.00
SHS 300a	300lb / 150kg	0.05lb / 0.02kg	\$465.00
SHS 600a	600lb / 300kg	0.1lb / 0.05kg	\$475.00



Applications

- Weighing

1
year
warranty



Crane Remote

Adam Equipment Co Ltd, its directors, staff, owners and affiliated companies and organisations cannot be held liable for any resulting damage or injury sustained as a result of the machines being used in excess of their capacities and ultimate overload limits.

For industrial weighing, LHS delivers durability in a hanging scale

Features

- Bright LED display for easy viewing in most environments
- Rotating hook allows easy access while loading, then safely locks in place during weighing
- Rugged construction stands up to industrial use
- Robust metal housing protects internal components in harsh environments
- Remote control allows safe, hands-free operation
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy



Model	Capacity	Readability	Price
LHS 1000a	1000lb / 500kg	0.2lb / 0.1kg	\$575.00
LHS 3000a	3000lb / 1500kg	0.5lb / 0.2kg	\$625.00
LHS 4000a	4000lb / 2000kg	1lb / 0.5kg	\$845.00



General Specifications

- Weighing units: kg, lb
- Power Supply: AC adapter / Internal rechargeable battery
- Display: LED with 25mm-high digits
- Calibration: External calibration
- Housing: Die cast aluminum
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Weighing



Crane Remote



IHS Crane Scales

When strength and safety are essential, IHS is the right choice for suspension weighing



Features

- Bright LED display for easy viewing in most environments
- Rotating hook allows easy access while loading, then safely locks in place during weighing
- Sealed keypad protects against dirt and accidental spills
- Remote control allows safe, hands-free operation
- Rugged construction stands up to industrial use
- Robust metal housing protects internal components in harsh environments
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Rechargeable battery included for operation almost anywhere
- Auto power-off to save energy

General Specifications

- Weighing units: kg, lb
- Power Supply: 7.2VDC 2A adapter / Internal rechargeable battery
- Display: LED with 30mm-high digits
- Calibration: External calibration
- Housing: Die cast aluminum
- Operating Temperature: 0° to 40°C / 32° to 104°F

Model	Capacity	Readability	Price
IHS 2a	2000lb / 1000kg	0.5lb / 0.2kg	\$1,125.00
IHS 6a	6000lb / 3000kg	1lb / 0.5kg	\$1,225.00
IHS 10a	10000lb / 5000kg	2lb / 1kg	\$1,425.00
IHS 20a	20000lb / 10000kg	5lb / 2kg	\$2,125.00



Applications

- Weighing

1
year
warranty



Crane Remote

Adam Equipment Co Ltd, its directors, staff, owners and affiliated companies and organisations cannot be held liable for any resulting damage or injury sustained as a result of the machines being used in excess of their capacities and ultimate overload limits.

Heavy Duty Scales

PT Platforms.....	40
PTM Drum and Wheelchair Scale.....	41
PTS Pallet Truck Scale.....	42
GF & GB Platforms.....	43

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com




PT Platforms

Quality construction with durable diamond-plate surface

Features

- Rugged construction stands up to industrial use
- Diamond plate surface for added grip
- Approximately three-meter/10-foot shielded cable
- Optional ramps facilitate loading and unloading
- Can be used with one of several Adam indicators



General Specifications

- Housing: Mild steel base
- Operating Temperature: -10° to 40°C / 14° to 104°F

Applications

- Weighing
- Parts counting
- Checkweighing
- Dynamic / animal weighing

Model	Capacity	Readability	Pan Size	Price
PT 112	2500lb / 1000kg	0.5lb / 0.2kg	47.2"x47.2" / 1200x1200mm	\$900.00
PT 312-5	5000lb / 3000kg	1lb / 0.5kg	47.2"x47.2" / 1200x1200mm	\$900.00
PT 312-10	10000lb / 3000kg	2lb / 1kg	47.2"x47.2" / 1200x1200mm	\$900.00
PT 112 [GK]	2500lb / 1000kg	0.5lb / 0.2kg	47.2"x47.2" / 1200x1200mm	\$1,095.00
PT 112 [AE402]	2500lb / 1000kg	0.5lb / 0.2kg	47.2"x47.2" / 1200x1200mm	\$1,125.00
PT 312-5 [GK]	5000lb / 3000kg	1lb / 0.5kg	47.2"x47.2" / 1200x1200mm	\$1,095.00
PT 312-10 [GK]	10000lb / 4500kg	2lb / 1kg	47.2"x47.2" / 1200x1200mm	\$1,095.00
PT 312-5 [AE402]	5000lb / 3000kg	1lb / 0.5kg	47.2"x47.2" / 1200x1200mm	\$1,125.00
PT 312-10 [AE402]	10000lb / 4500kg	2lb / 1kg	47.2"x47.2" / 1200x1200mm	\$1,125.00

NTEP/Measurement Canada Approved

Model	Capacity	Readability	Pan Size	Price
PT 112M	2500lb / 1000kg	0.5lb / 0.2kg	47.2"x47.2" / 1200x1200mm	\$1,050.00
PT 312-5M	5000lb / 3000kg	1lb / 0.5kg	47.2"x47.2" / 1200x1200mm	\$1,050.00
PT 112M [GKaM]	2500lb / 1000kg	0.5lb / 0.2kg	47.2"x47.2" / 1200x1200mm	\$1,285.00
PT 312-5M [GKaM]	5000lb / 3000kg	1lb / 0.5kg	47.2"x47.2" / 1200x1200mm	\$1,285.00

Indicators included where listed



Accessories

Item number
• 700100200

Description
Mild Steel Ramp - PT 12R 1200mm wide

Price
\$275.00

PTM Drum and Wheelchair Scale

Low-profile base and easy-access ramps for warehouses or medical use

Features

- Rugged construction stands up to industrial use
- Diamond plate surface for added grip
- Integrated wheels permit easy movement
- Built-in ramps on each side enable easy access
- Heavy-duty rubber feet ensure stability of unit
- Adjustable leveling feet help optimize setup
- Approximately three-meter/10-foot shielded cable
- Can be used with one of several Adam indicators



Model	Capacity	Readability	Pan Size	Price
PTM 500	1100lb / 500kg	0.2lb / 0.1kg	29.9"x22.8" / 760x580mm	\$900.00
PTM 500 [AE402]	1100lb / 500kg	0.2lb / 0.1kg	29.9"x22.8" / 760x580mm	\$1,125.00
PTM 500 [GKa]	1100lb / 500kg	0.2lb / 0.1kg	29.9"x22.8" / 760x580mm	\$1,095.00

General Specifications

- Housing: Mild steel base
- Operating Temperature: -10° to 40°C / 14° to 104°F

Indicators included where listed

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing

Accessories

Item number

- 3074010266
- 3074010507
- 1120011156
- 3126011263
- 3126011281
- 600002028
-

Description

- RS-232 cable (null-modem)
- RS-232 to USB adapter (must order corresponding RS-232 cable)
- ATP thermal printer
- Thermal paper (for item no. 1120011156-ATP printer)
- Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)
- Adam DU data collection program
- Calibration certificate

Price

- \$35.00
- \$50.00
- \$335.00
- \$14.00
- \$90.00
- \$95.00
- Contact Us



PTS Pallet Truck Scale

Speed up warehouse operations and reduce transportation overcharges with the PTS



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Programmable backlight can be set to "always on," "always off" or "light only when weighing"
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Splash-proof housing, keypad and display mean easy cleaning and peace of mind
- Wheels swivel, allowing easy movement
- Checkweighing with audible alarm
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Parts counting with preset sample sizes
- Audible overload alarm warns when capacity has been exceeded
- RS-232 interface for connection to computers and printers
- Selectable auto-clear function enables the last item to be reset each time the scale returns to zero
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Auto power-off to save energy
- Solid non-marring polyurethane wheels

General Specifications

- Weighing units: kg, lb, lb:oz, oz, N
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 40mm-high digits
- Calibration: External calibration
- Housing: Mild steel base
- Operating Temperature: -10° to 40°C / 14° to 104°F

Model	Capacity	Readability	Pan Size	Price
PTS 5000a [AE402]	5000lb / 2000kg	1lb / 0.5kg	6.3"x47.2" / 160x1200mm	\$1,695.00



Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing

1

year
warranty



Accessories

Item number

- 700400103
- 3074010507
- 1120011156
- 3126011263
- 3126011281
- 600002028
-

Description

- RS-232 cable
- RS-232 to USB adapter (must order corresponding RS-232 cable)
- ATP thermal printer
- Thermal paper (for item no. 1120011156-ATP printer)
- Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)
- Adam DU data collection program
- Calibration certificate


Price

- \$35.00
- \$50.00
- \$335.00
- \$14.00
- \$90.00
- \$95.00
- Contact Us

Compatible with a variety of indicators, the GF and GB delivers remarkable durability

Features

- Rugged construction stands up to industrial use
- Overload protection helps prevent damage to internal components
- Large, grade 304 stainless steel pan allows swift cleaning
- Can be used with one of several Adam indicators
- Stainless steel platform for added durability
- Single point loadcell and cast aluminum base is solid for industrial applications
- Easily connect to Adam's CBD counting scale for dual counting operations



Model	Capacity	Readability	Pan Size	Price
GB 35a	35lb / 16kg	0.001lb / 0.5g	11.8"x15.7" / 300x400mm	\$375.00
GB 70a	70lb / 32kg	0.002lb / 1g	11.8"x15.7" / 300x400mm	\$375.00
GB 130a	130lb / 60kg	0.005lb / 2g	11.8"x15.7" / 300x400mm	\$375.00
GB 260a	260lb / 120kg	0.01lb / 5g	11.8"x15.7" / 300x400mm	\$375.00

General Specifications

- Housing: Die cast aluminum
- Operating Temperature: -10° to 40°C / 14° to 104°F

Model	Capacity	Readability	Pan Size	Price
GF 165a	165lb / 75kg	0.01lb / 5g	15.7"x19.7" / 400x500mm	\$395.00
GF 330a	330lb / 150kg	0.02lb / 0.01kg	15.7"x19.7" / 400x500mm	\$395.00
GF 660a	660lb / 300kg	0.05lb / 0.02kg	15.7"x19.7" / 400x500mm	\$495.00
GF 1320a	1320lb / 600kg	0.1lb / 0.05kg	23.6"x31.5" / 600x800mm	\$695.00

Applications


- Weighing



Indicators

AE Indicator.....	45
GK Indicator.....	46
GC Counting Indicator.....	47

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



Multi-function washdown indicator for demanding environments

Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- User-selectable scale division
- IP66 rated for protection against water and dust
- Robust metal housing protects internal components in harsh environments
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- Checkweighing with audible alarm
- Parts counting with preset sample sizes
- Selectable digital filtering for animal/dynamic weighing delivers stable results for moving subjects
- Wall-mount bracket for placing indicator on vertical surface
- RS-232 interface for connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy



Model	Capacity Range	Resolution	Price
AE 402	Selectable	1:80,000	\$260.00



General Specifications

- Weighing units: g, kg, lb, lb:oz, oz, N
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 40mm-high digits
- Calibration: External calibration
- Housing: Stainless steel
- Operating Temperature: 0° to 40°C / 32° to 104°F

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Dynamic / animal weighing

Accessories

Item number	Description	Price
• 3102311619	In-use wet cover	\$20.00
• 700400103	RS-232 cable	\$35.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 1100011297	AE402 relay box	\$185.00
• 600002028	Adam DU data collection program	\$95.00

1
year
warranty



GK Indicator

Approved indicator for industrial weighing and checkweighing



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Capacity tracker built into display for easily monitoring possible overloads
- RS-232 interface for connection to computers and printers
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Wall-mount bracket for placing indicator on vertical surface
- Checkweighing with audible alarm
- Checkweighing LEDs light to clearly show under, over and acceptable limits
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Programmable for counting to a preset number of parts
- Preset tare function speeds the process of repetitive weighing
- Selectable digital filtering for animal/dynamic weighing delivers stable results for moving subjects
- Programmable capacity and readability for a variety of applications
- Rechargeable battery included for operation almost anywhere

General Specifications

- Weighing units: kg, lb, lb:oz, oz, N
- Interface: RS-232
- Power Supply: 15VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with capacity tracker with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

Applications

- Weighing
- Parts counting
- Percentage weighing
- Checkweighing
- Checkcounting
- Dynamic / animal weighing

Model	Capacity Range	Resolution	Price
GKa	Selectable	1:80,000	\$225.00

NTEP/Measurement Canada Approved

Model	Capacity Range	Resolution	Price
GKaM	Selectable	1:7,500	\$265.00



Accessories

Item number	Description	Price
• 3052010526	In-use wet cover	\$20.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 600002028	Adam DU data collection program	\$95.00

1
year
warranty



GC Counting Indicator

Multiple readouts and programmed function keys streamline counting applications

Features

- Backlit LCD shows weight, unit weight and count in one convenient location
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- RS-232 interface for connection to computers and printers
- Wall-mount bracket for placing indicator on vertical surface
- Solid ABS housing is durable for industrial uses
- Internal counting resolution 1:600,000 for precision results
- Audible overload alarm warns when capacity has been exceeded
- Parts counting with freely selectable sample sizes
- Parts counting optimization automatically refines piece weight as parts are added
- Preset tare function speeds the process of repetitive weighing
- Printouts include date and time for data tracking within Good Laboratory Practices (GLP) guidelines
- Selectable digital filtering helps minimize effects of vibration and disturbances
- Rechargeable battery included for operation almost anywhere



Model	Capacity Range	Resolution	Price
GCa	Selectable	1:80,000	\$325.00



General Specifications

- Weighing units: g, kg, lb
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 20mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: -10° to 40°C / 14° to 104°F

Applications

- Weighing
- Parts counting
- Checkcounting

Accessories

Item number	Description	Price
• 3052010526	In-use wet cover	\$20.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
• 600002028	Adam DU data collection program	\$95.00

1
year
warranty



Health and Fitness Scales

MXB Baby Scale49
MTB Baby and Toddler Scale50
MDW Physician Scales51
MUW Medical Scales52

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



Reliably and safely monitors an infant's weight

Features

- Solid, one-piece construction is lightweight and easy to clean
- Splash-proof housing, keypad and display mean easy cleaning and peace of mind
- Hold function freezes the displayed weight, allowing time to lapse without losing the result
- High-contrast display is easily visible from a distance
- Ergonomic cradle provides comfortable support
- Easy-grip carrying handles for convenient mobility
- Operates with AC adapter or batteries (both included)
- Auto power-off to save energy
- Tape measure included to easily measure the baby's progress in both centimeters and inches



Model	Capacity	Readability	Pan Size	Price
MXB 20	44lb / 20kg	0.01lb / 0.01kg	11"x21.1" / 280x535mm	\$90.00



General Specifications

- Weighing units: kg, lb, lb:oz
- Power Supply: 6VAC adapter / 4 x AA batteries
- Display: LCD with 18mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 15° to 35°C / 59° to 95°F

Applications

- Weighing

1
year
warranty



MTB Baby and Toddler Scale

Offers flexibility to weigh newborns and toddlers on the same scale



Features

- High-contrast display is easily visible from a distance
- Simple operation allows quick startup and use with little or no training
- Ergonomic cradle provides comfortable support
- Lightweight design simplifies transport and portability
- Operates with AC adapter (included) or batteries (not included)
- Auto power-off to save energy
- Memory feature can recall the last weight taken, allowing the user to focus on the child
- Cradle can be removed to weigh toddlers on the non-slip rubber mat

General Specifications

- Weighing units: kg, lb, lb:oz
- Interface: N/A
- Power Supply: 6VDC 500mA adapter / 4 x AA batteries
- Display: LCD with 29mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 10° to 40°C / 50° to 104°F

Model	Capacity	Readability	Pan Size	Price
MTB 20	44lb / 20kg	0.005lb / 5g	11.2"x22" / 285x560mm	\$150.00



Applications

- Weighing

1

year
warranty




Affordable, easy-to-operate scale measures height and weight

Features

- Anti-slip platform ensures safety stepping on and off the scale
- Integrated wheels permit easy movement
- Height rod facilitates measuring children and adults while weighing
- BMI (body mass index) function available on the MDW 300L
- The MDW 300L offers RS-232 interface for fast communication with printers and computers
- MDW 250L and 300L feature a hold function to retain the weight on the display
- Use the MDW 250L and 300L with the included AC adapter or rechargeable battery
- Height measurements from 60cm to 212cm

MDW 160M



MDW 250L



MDW 300L



Mechanical Scale

Model	Capacity	Readability	Pan Size	Price
MDW 160M	350lb / 160kg	0.2lb / 0.1kg	14.8"x10.8" / 375x275mm	\$280.00

Digital Scales

Model	Capacity	Readability	Pan Size	Price
MDW 250L	550lb / 250kg	0.2lb / 0.1kg	10.8"x14.8" / 275x375mm	\$380.00
MDW 300L	660lb / 300kg	0.1lb / 0.05kg	10.8"x14.8" / 275x375mm	\$485.00

General Specifications

- Calibration: External calibration
- Operating Temperature: 5° to 40°C / 41° to 104°F

Applications

- Weighing



Accessories

Item number

- 3014011014
- 3074010507
- 1120011156
- 3126011263
- 3126011281
-

Description

- RS-232 cable
- RS-232 to USB adapter (must order corresponding RS-232 cable)
- ATP thermal printer
- Thermal paper (for item no. 1120011156-ATP printer)
- Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)
- Calibration certificate

Price

- \$35.00
- \$50.00
- \$335.00
- \$14.00
- \$90.00
- Contact Us



160M



250L



300L

MUW Medical Scales

Elegant ultrasonic scale effortlessly calculates height, weight and BMI



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Anti-slip platform ensures safety stepping on and off the scale
- Integrated wheels permit easy movement
- RS-232 interface for connection to computers and printers
- BMI (body mass index) indicator
- External calibration allows for verification and adjustment with weights
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Automatic height calculation using ultrasonic sensors for precision measurements
- Printout can include a patient and doctor ID, as well as BMI measurements
- Height reading can be switched from centimeters to inches
- Ultrasonic height measurements from 80cm-210cm

General Specifications

- Weighing units: kg, lb, lb:oz
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 17mm-high digits
- Calibration: External calibration
- Housing: Mild steel base
- Operating Temperature: 0° to 40°C / 32° to 104°F

Model	Capacity	Readability	Pan Size	Price
MUW 300L	660lb / 300kg	0.1lb / 0.05kg	14.8"x14.8" / 375x375mm	\$995.00



Applications

- Weighing

Accessories

Item number	Description	Price
• 3014011014	RS-232 cable	\$35.00
• 3074010507	RS-232 to USB adapter (must order corresponding RS-232 cable)	\$50.00
• 1120011156	ATP thermal printer	\$335.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10) (for item no. 1120011156-ATP printer)	\$90.00
•	Calibration certificate	Contact Us

1
year
warranty



Grain Scale

CQT Grain Scale54

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



CQT Grain Scale

Reap the rewards of this dependable, portable agricultural scale



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Rugged construction stands up to industrial use
- Three-point ShockProtect® feature helps prevent overload damage to internal components
- Large, grade 304 stainless steel pan allows swift cleaning
- Security slot for optional Kensington-type lock and cable to help prevent theft
- External calibration allows for verification and adjustment with weights
- Operates with AC adapter (included) or batteries (not included)
- Auto power-off to save energy

General Specifications

- Weighing units: g, kg/hL, lb/bu
- Power Supply: 12VAC 150mA adapter
- Display: Backlit LCD with 18mm-high digits
- Calibration: External calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Model	Capacity	Readability	Pan Size	Price
CQT 1752GR	1750g	0.05g	4.7" ø / 120mm ø	\$275.00



Applications

- Weighing

Accessories

Item number	Description	Price
• 308002042	Hard carrying case with lock	\$75.00
• 308232033	In-use wet cover	\$20.00
• 308232036	In-use wet cover (pack of 5)	\$85.00
• 308232037	In-use wet cover (pack of 10)	\$150.00
• 700100046	Kensington-type lock and cable	\$28.00

1

year
warranty



Precious Metal Scales

Highland® Density / Precious Metal Balances.....56

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



Highland® Density / Precious Metal Balances

Dependable jewelry balance for calculating density of substances



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Splash-proof housing, keypad and display mean easy cleaning and peace of mind
- Level indicator and adjusting feet ensure proper balance setup for optimum weighing results
- Overload protection helps prevent damage to internal components
- RS-232 interface for connection to computers and printers
- Rechargeable battery included for operation almost anywhere
- AC adapter included
- Programmable auto power-off to save energy

General Specifications

- Weighing units: g, lb, oz, GN, ct, dwt, mm, ozt, T, tl.H, tl.S, tl.T
- Interface: RS-232
- Power Supply: 12VDC 800mA adapter / Internal rechargeable battery
- Display: Backlit LCD with 18mm-high digits
- Calibration: External calibration / Internal manual calibration
- Housing: ABS plastic
- Operating Temperature: 0° to 40°C / 32° to 104°F

Model	Capacity	Readability	Pan Size	Price
HCBJ 123	120g	0.001g	5.2" ø / 132mm ø	\$1,695.00
HCBJ 302	300g	0.01g	6.3"x6.5" / 160x165mm	\$1,195.00
HCBJ 1002	1000g	0.01g	6.3"x6.5" / 160x165mm	\$1,325.00
HCBJ 2002	2000g	0.01g	6.3"x6.5" / 160x165mm	\$1,595.00



Applications

- Weighing
- Density determination


Accessories

Item number	Description	Price
• 308232034	In-use wet cover (pack of 5)	\$85.00
• 308232035	In-use wet cover (pack of 10)	\$150.00
• 308232030	In-use wet cover	\$20.00
• 3074010266	RS-232 cable (null-modem)	\$35.00
• 3126011263	Thermal paper (for item no. 1120011156-ATP printer)	\$14.00
• 3126011281	Thermal paper (pack of 10)	\$90.00



Accessories

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com



ASTM Weights

Stainless steel weights to facilitate balance or scale calibration



Features

- Stainless steel weights
- Individual weights comes with plastic case

Part Number	Class	Capacity	List Price
700100186	ASTM 0	100g	\$180.00
700100188	ASTM 1	200g	\$95.00
700100189	ASTM 1	500g	\$125.00
700100191	ASTM 1	2000g	\$315.00
700100187	ASTM 2	100g	\$65.00
700100190	ASTM 2	1000g	\$125.00
700100194	ASTM 3	50g	\$50.00
700100195	ASTM 3	200g	\$65.00
700100193	ASTM 3	5000g	\$325.00
700100192	ASTM 4	2000g	\$125.00



Anti-Vibration Table

Sturdy base helps minimize movement and reduce fluctuations in measurement



Features

- Scratch resistant marble slab
- Two table construction keeps the marble block in the middle and reduce interference
- Large working surface of 15.7"x17.7" / 400x450mm
- Room around the vibration slab for resting samples
- Lightweight tubular aluminum frame
- Adjustable leveling feet for uneven surfaces
- Polish Finish

Part Number	Class	List Price
104008036	Anti-Vibration Table	\$675.00



Weight and Dimensions

- Anti-Vibration Table: Net weight-20lb / 3kg, Overall Dimensions-21"x46"x48" / 533x1168x1219mm