

HEALTH CARE
**PRICE
GUIDE**

SCALES



Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com

January 1, 2016

 **DETECTO**[®]
www.Detecto.com

- H4** Weigh Beam Eye-Level Physician Scales
- H4** Weigh Beam Physician Scale Accessories
- H5** Mechanical Height Rods
- H5** Stainless Steel Weigh Beam Physician Scales
- H6** Digital Physician Scales
- H6** ProDoc® Accessories / Digital Stadiometer
- H7** apex® Digital Physician Scales
- H8** icon® Digital Physician Scales
- H9** Digital Weight Indicators
- H9** Weight Indicator Accessories
- H9** Digital Eye Level Physician Scale
- H10** Waist-High Physician Scales
- H10** Chair Scales
- H11** Digital Bariatric Scales
- H11** Stationary Wheelchair Scales
- H12** Portable Wheelchair Scales
- H13** Wheelchair and Infloor Scales and Accessories
- H14** In-Bed Scales and Accessories
- H14** Patient Lift Scales and Kit Adapters
- H15** Digital Baby Scales and Accessories
- H15** Mechanical Baby Scales
- H16** Wet Diaper and Portable Home Health Scales
- H17** Portable Home Health and Bathroom Scales
- H17** Veterinary Scales and Accessories
- H18** AC Adapters
- H19** Price Computing Scales with Integral Printers and Accessories
- H19** DL Series Labels
- H20** Digital Price Computing Scales and Accessories
- H22** Baker Dough Scales
- H22** Baker Dough Scale Machined Weights
- H23** Scoops and Bowls
- H23** Digital Portion Control Scales and Accessories
- H24** Top Loading Dial Scales
- H25** Top Loading Dial Scales with Bowl
- H26** Digital Hanging Scales
- H26** Hanging Dial Scales
- H29** Retail Point-of-Sale / Logistics Scales
- H29** Ball Top Transfers for APS Series Scales
- H30** Admiral Washdown Bench Scales
- H30** Stainless Steel Splashproof Bench Scales
- H32** Portable Digital Scales and Accessories
- H32** Digital Counting Scales
- H33** Portable Digital Floor Scales
- H33** Portable Mechanical Floor Scales
- H33** Bench Scales
- H34** Floor Scales and Weight Indicators Combo
- H34** Run-a-Weigh Portable Scales and Indicators
- H34** Mailing and Shipping Scales

**SINCE
1900**



USA Manufacturer

Terms, Order Entry, Delivery, and Return Authorization Information

All prices are subject to change without notice.

NO ADDITIONAL CHARGE FOR DROP SHIPMENTS

TERMS:

Net: 30 days (subject to credit approval)

FOB: Webb City, Missouri

Minimum parts order: \$25.00

Detecto will provide tracking numbers at no charge if customers wish to obtain proof of delivery on their own.

PLEASE NOTE: The carrier is responsible for merchandise in transit to you.

RETURNS:

Returns will not be accepted unless approved in writing.

To obtain return authorization, call 1-800-641-2008.

After authorization, returns must be shipped to the factory

FREIGHT PREPAID.

PLEASE NOTE: It is important that the Return Authorization number appear on the outside of the box, near the shipping label. The package cannot be accepted without the RA number showing on the outside of the box!

25% RE-STOCKING FEE

No Returns Will Be Accepted After 90 Days.



As the largest medical scale manufacturer in the United States, DETECTO brings you the peace of mind knowing you're buying premium quality from a manufacturer with 115 years of weighing experience.



Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
www.standardscale.com

CORPORATE HEADQUARTERS CONTACTS:

203 East Daugherty Street, Webb City, MO 64870 USA
Phone: (417) 673-4631
Fax: (417) 673-2153

Customer Service 8 am - 5 pm CST Mon. - Fri.
(800) 641-2008 or (417) 673-4631
detecto@cardet.com

Technical Support 8 am - 5 pm CST Mon. - Fri.
(866) 254-8261
tech@cardet.com

Parts Department 8 am - 5 pm CST Mon. - Fri.
(800) 641-2045
parts@cardet.com

Quality Assurance 8 am - 5 pm CST Mon. - Fri.
(417) 673-4631
qa@cardet.com










Check out our
MOBILE SITE:
m.detecto.com









www.Detecto.com

WEIGH BEAM EYE-LEVEL PHYSICIAN SCALES

							
Model	439	2391	437	2371	438	2381	448
Capacity	400 lb x 4 oz	180 kg x 100 g	400 lb x 4 oz	180 kg x 100 g	400 lb x 4 oz	180 kg x 100 g	400 lb x 4 oz
Height Rod	•	•			•	•	•
Wheels					•	•	•
Handpost							•
Shipping Weight	38 lb/17.2 kg	37 lb/16.7 kg	35 lb/15.8 kg	35 lb/15.8 kg	39 lb/17.6 kg	39 lb/17.6 kg	43 lb/19.5 kg
UPC Code	809161133103	809161133202	809161133301	809161133400	809161133509	809161133608	809161133707
Price / Code	\$322 (A)	\$352 (A)	\$314 (A)	\$344 (A)	\$398 (A)	\$398 (A)	\$502 (A)







Height Rod: 30 - 78 in / 76 - 200 cm **Scale Height:** 59 in / 150 cm **Platform Size:** 10.5 x 14.5 in / 27 x 37 cm

WEIGH BEAM EYE-LEVEL PHYSICIAN SCALES

						
Model	449	2491	339	337	338	349
Capacity	400 lb x 4 oz	180 kg x 100 g	400 lb x 4 oz / 175 kg x 100 g	400 lb x 4 oz / 175 kg x 100 g	400 lb x 4 oz / 175 kg x 100 g	400 lb x 4 oz / 175 kg x 100 g
Height Rod	•	•	•		•	•
Wheels					•	
Handpost	•	•				•
Shipping Weight	43 lb/19.5 kg	43 lb/19.5 kg	38 lb/17.2 kg	35 lb/15.8 kg	39 lb/17.6 kg	43 lb/19.5 kg
UPC Code	809161133806	809161133905	809161134001	809161134100	809161134209	809161134308
Price / Code	\$418 (A)	\$418 (A)	\$322 (A)	\$314 (A)	\$398 (A)	\$418 (A)

Height Rod: 30 - 78 in / 76 - 200 cm **Scale Height:** 59 in / 150 cm **Platform Size:** 10.5 x 14.5 in / 27 x 37 cm

WEIGH BEAM PHYSICIAN SCALE ACCESSORIES








						
Model	3PWHL	3PHNDPST	CW-9	CW-30X	CW-39X	CW-80X
Description	Wheels for use with all eye-level weigh beam and some waist-high and eye-level digital physician scales	For replacement use on weigh beam physician scales only	Conversion weight assembly for use with NEW 437, 438, 439, 448, and 449 scales (increases weight range from 400 lb to 500 lb)	Conversion weight assembly for use with OLD 437, 438, 439, 448, and 449 scales (increases weight range from 350 lb to 450 lb)	Conversion weight assembly for use with OLD 337, 338, 339, 348, and 349 scales (increases weight range from 350 lb to 450 lb - works for pounds only)	Conversion weight assembly for use with NEW 2371, 2381, 2391, and 2491 scales (increases weight range from 180 kg to 220 kg)
Shipping Weight	1 lb/.4 kg	7 lb/3.1 kg	1 lb/.4 kg	1 lb/.4 kg	1 lb/.4 kg	1 lb/.4 kg
UPC Code	809161134902	809161135008	809161182804	809161182903	809161183009	809161183108
Price / Code	\$82 (A)	\$104 (A)	\$84 (A)	\$84 (A)	\$81 (A)	\$84 (A)

STAINLESS STEEL WEIGH BEAM PHYSICIAN SCALES

						
Model	439S	2391S	437S	2371S	339S	337S
Capacity	400 lb x 4 oz	180 kg x 100 g	400 lb x 4 oz	180 kg x 100 g	400 lb x 4 oz / 175 kg x 100 g	400 lb x 4 oz / 175 kg x 100 g
Height Rod	•	•			•	
Shipping Weight	38 lb/17.2 kg	37 lb/16.7 kg	35 lb/15.8 kg	35 lb/15.8 kg	38 lb/17.2 kg	35 lb/15.8 kg
UPC Code	809161132304	809161132403	809161132502	809161132601	809161132700	809161132809
Price / Code	\$858 (A)	\$886 (A)	\$815 (A)	\$846 (A)	\$860 (A)	\$823 (A)

Height Rod: 30 - 78 in / 76 - 200 cm **Scale Height:** 59 in / 150 cm **Platform Size:** 10.5 x 14.5 in / 27 x 37 cm

MECHANICAL HEIGHT RODS AND ACCESSORIES

							
Model	PHR	PHR-CASE	3PHTR0D-1	3PHTR0DCM-1	3PHTR0D-WHCM-1	3PHTR0D-WM	3PHTR0DCM-WM
Description	Portable free-standing mechanical height rod	Black ballistic nylon with carrying shoulder strap	Height rod for eye-level physician scales	Metric height rod for eye-level physician scales	Metric height rod for waist-high physician scales	Wall-mount height rod	Metric wall-mount height rod
Measurement	4.5 - 81 in / 11.5 - 205 cm		30 - 78 in / 76 - 200 cm	76 - 200 cm	76 - 200 cm	30 - 78 in / 76 - 200 cm	76 - 200 cm
Shipping Weight	12 lb/5 kg	8 lb/3.6 kg	7 lb/3.1 kg	7 lb/3.1 kg	7 lb/3.1 kg	7 lb/3.1 kg	7 lb/3.1 kg
UPC Code	809161199208	809161199307	809161134407	809161187304	809161187403	809161137606	809161187502
Price / Code	\$299 (A)	\$89 (A)	\$120 (A)	\$120 (A)	\$120 (A)	\$120 (A)	\$120 (A)



DETECTO's unique PHR portable height rod is simple and easy to set up. There's no wall fastening necessary and it may be positioned against a wall or completely free standing. Two spacers provide additional stability when placed against a wall. The large floor plate ensures complete stability and permits the height rod to be used anywhere.

The PHR stadiometer features a unique reversible head piece that lets you add a DETECTO DR400C digital floor scale at the base to measure weight and height simultaneously. If you use the PHR without a DR400C scale at the base, simply flip the head piece upside down. An optional PHR-CASE carrying case with shoulder strap is available that fits the PHR and DR400C.





DETECTO's solo® scale stands alone in economic clinical weighing



- 550 lb x 0.2 lb / 250 kg x 0.1 kg Capacity
- Weight, Height, and Body Mass Index
- 14 in W x 15 in D x 2.5 in H Platform Size
- 6 AA Batteries (included) or Optional AC Adapter
- Inline Mechanical Height Rod

DIGITAL PHYSICIAN SCALES



Model	SOLO	PD100	PD200	PD300	PD300DHR	PD300MHR
Capacity	550 lb x .2 lb / 250 kg x .1 kg	480 lb x .2 lb / 220 kg x .1 kg		0-220 lb x .1 lb (0-100 kg x 50 g) 220-550 lb x .2 lb (100-250 kg x 100 g)		
Height Rod	Mechanical 30 in to 84.5 in / 76 cm to 214.5 cm				Digital 43 - 79 in / 110 - 200 cm	Mechanical 30 - 78 in / 76 - 200 cm
Platform Size	14 in W x 15 in D x 2.5 in H	12.5 in x 13 in / 32 cm x 33 cm				
Scale Height	Comfort height	Low profile	Low profile	Comfort height	Comfort height	Comfort height
Power	Optional model PD-AC AC adapter or 6 AA batteries					
	6 AA batteries (included)	6 AA batteries (not included)	6 AA batteries (not included)	6 AA batteries (not included)	6 AA batteries (not included)	6 AA batteries (not included)
Shipping Weight	25 lb/ 11.3 kg	22 lb/10 kg	28 lb/12.7 kg	33 lb/14.9 kg	40 lb/18.1 kg	40 lb/18.1 kg
UPC Code	809161197709	809161146905	809161147001	809161147100	809161147209	809161147308
Price / Code	\$389 (P)	\$414 (P)	\$402 (P)	\$483 (P)	\$770 (P)	\$529 (P)

Platform Size: 12.5 x 13 in / 32 x 33 cm LCD Display: 1 in / 25 mm high readouts

PRODOC® ACCESSORIES AND DIGITAL STADIOMETER



Model	P50	6600-1080	PRODOC-CASE	DHR	MHR	DHRWM	GBSS18-WM
Description	Direct thermal printer for PD series scales (includes RS232 serial cable, bracket and AC adapter)	Paper roll for P50 printer	Carrying case with handle for PD100	Digital height rod for PD series measures 43 - 79 in / 110 - 200 cm	Mechanical height rod for PD series measures 30 - 78 in / 76 - 200 cm	Digital wall-mount stadiometer 43 - 79 in / 110 - 200 cm. 6 AA batteries	Stainless steel wall-mount grab bar (1)
Shipping Weight	3 lb/1.3 kg	3 lb/1.3 kg	5 lb/2.2 kg	7 lb/3.1 kg	8 lb/3.6 kg	8 lb/3.6 kg	10 lb/4.5 kg
UPC Code	809161188400	809161191004	809161149203	809161147506	809161147605	809161147407	809161188905
Price / Code	\$419 (P)	\$34 (A)	\$54 (P)	\$287 (P)	\$104 (P)	\$217 (P)	\$132 (B)

apex® EYE-LEVEL DIGITAL SCALES WITH MECHANICAL HEIGHT RODS

Model	APEX	APEX-AC	APEX-WI-AC	APEX-UWA-AC	APEX-LXI-AC
Capacity	600 lb x 0.2 lb / 300 kg x 0.1 kg				
Height Rod	Mechanical inline height rod				
Platform Size	17 in W x 17 in D x 2.75 in H / 43.2 cm W x 43.2 cm D x 7 cm H				
Power	12 AA batteries (not included) or AC adapter (not included)	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)
AC Adapter		•	•	•	•
Ports	2 RS232 serial ports and 1 micro USB-B port				
Connectivity			Wi-Fi Ethernet	Welch Allyn CVSM/CSM	Welch Allyn LXI
LCD	.75 in / 1.9 cm H LCD digits				
Shipping Weight	27 lb / 12.2 kg	27 lb / 12.2 kg	28 lb / 12.7 kg	28 lb / 12.7 kg	27 lb / 12.2 kg
UPC Code	809161197808	809161197907	809161198003	809161198102	809161198201
Price / Code	\$599 (B)	\$655 (B)	\$850 (B)	\$865 (B)	\$865 (B)



apex® EYE-LEVEL DIGITAL SCALES WITH SONAR HEIGHT RODS

Model	APEX-SH	APEX-SH-AC	APEX-SH-WI-AC	APEX-SH-UWA-AC	APEX-SH-LXI-AC
Capacity	600 lb x 0.2 lb / 300 kg x 0.1 kg				
Height Rod	Touchless sonar height rod				
Platform Size	17 in W x 17 in D x 2.75 in H / 43.2 cm W x 43.2 cm D x 7 cm H				
Power	12 AA batteries (not included) or AC adapter (not included)	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)
AC Adapter		•	•	•	•
Ports	2 RS232 serial ports and 1 micro USB-B port				
Connectivity			Wi-Fi Ethernet	Welch Allyn CVSM/CSM	Welch Allyn LXI
LCD	.75 in / 1.9 cm H LCD digits				
Shipping Weight	27 lb / 12.2 kg	27 lb / 12.2 kg	28 lb / 12.7 kg	28 lb / 12.7 kg	27 lb / 12.2 kg
UPC Code	809161197808	809161197907	809161198003	809161198102	809161198201
Price / Code	\$869 (B)	\$925 (B)	\$1,120 (B)	\$1,135 (B)	\$1,135 (B)




icon® EYE-LEVEL DIGITAL SCALES WITH SONAR HEIGHT RODS

Model	ICON	ICON-WI	ICON-UWA	ICON-LXI
Capacity	600 lb x .2 lb / 1000 lb x .5 lb 300 kg x .1 kg / 500 kg x .2 kg			
Height Rod	Touchless sonar height rod			
Platform Size	17 in W x 17 in D x 1.5 in H / 43.2 cm W x 43.2 cm D x 3.8 cm H			
Power	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)	12 AA batteries (not included) or AC adapter (included)
AC Adapter	•	•	•	•
Ports	1 RS232 serial port and 1 USB-B port			
Connectivity		Wi-Fi Ethernet	Welch Allyn CVSM/CSM	Welch Allyn LXI
LCD	.9 in / 2.3 cm H LCD digits			
Shipping Weight	27 lb / 12.2 kg	28 lb / 12.7 kg	28 lb / 12.7 kg	27 lb / 12.2 kg
UPC Code	809161198805	809161198904	809161199000	809161199109
Price / Code	\$1,099 (B)	\$1,294 (B)	\$1,309 (B)	\$1,309 (B)

Every so often in history, the evolution of a product takes a monumental step forward. DETECTO's USA-made icon® represents the next generation of digital clinical measurement. There is nothing equivalent to the Icon® on the market!

DETECTO's icon® eye-level digital clinical scale has a dual ranging capacity of .2 lb/.1 kg up to 600 lb/300 kg and .5 lb/.2 kg up to 1,000 lb/500 kg. The low-profile 17 in W x 17 in D platform is nearly flat at only 1.5 inches high. The Icon® includes a non-medical-grade standard AC adapter or can be powered by 12 AA batteries (not included). The touchless sonar height rod allows you to simply step on the scale and within seconds weight, height, and Body Mass Index will all be displayed onscreen without touching a single key.



icon® Base








icon® Ports









DETECTO's icon® scale includes 1 RS232 serial port, 1 USB-B port, optional Wi-Fi, and Welch Allyn EMR/ EHR connectivity available (see models listed above).



DIGITAL WEIGHT INDICATORS, ACCESSORIES, AND PRINTERS

							
Model	MV1	MVWIFI	MVIP	WACONNECT	750	P150	P600
Description	Indicator for scales. RS232 serial, USB, and optional Ethernet Wi-Fi. EMR/EHR-ready	Wi-Fi Ethernet wireless option for MedVue digital indicator	Wired Ethernet interface option for MedVue digital indicator	Welch Allyn® connectivity kit (interface license and USB-A to USB-B cable)	Digital weight indicator for medical scales. RS232 serial port. EMR/EHR-ready	Portable ticket printer	Ticket printer
Power	Optional MV1PWR AC adapter or 6 C batteries (not included)				Optional 6800-1045 AC adapter or 6 AA batteries (not included)	Rechargeable Lithium-Ion battery and AC adapter (included)	AC adapter (included) 6600-0413
Shipping Weight	5 lb/2.2 kg	1 lb/.4 kg	1 lb/.4 kg	1 lb/.4 kg	3 lb/1.3 kg	1 lb/.4 kg	5 lb/2.2 kg
UPC Code	809161189407	809161189704	809161189605	809161189209	809161149609	809161149708	809161149807
Price / Code	\$730 (C)	\$237 (C)	\$268 (C)	\$210 (P)	\$695 (C)	\$775 (B)	\$511 (B)





WEIGHT INDICATOR MOUNTING BRACKETS AND SOFTWARE

						
Model	MVMK	MVMK1	MVMK2	MVMK3	P150BRKT	WinDDE
Description	Mounting bracket for 758C to MedVue conversion (6854DHR and 6857DHR)	Mounting bracket for 758C to MedVue conversion (eye-level and waist-high scales)	Mounting bracket for 758C to MedVue conversion (model 6550)	Mounting bracket for 758C to MedVue conversion (wheelchair scale models)	Mounting bracket for P150 printer to MedVue weight indicator	Dynamic data exchange program for transferring weight data to Windows programs
Shipping Weight	1 lb/.4 kg	1 lb/.4 kg	1 lb/.4 kg	1 lb/.4 kg	1 lb/.4 kg	1 lb/.4 kg
UPC Code	809161189902	809161190007	809161190106	809161190205	809161189803	809161135800
Price / Code	\$14 (C)	\$27 (C)	\$26 (C)	\$27 (C)	\$13 (A)	\$738 (B)

DIGITAL EYE-LEVEL PHYSICIAN SCALES







Detecto's 6437DHR features a digital height rod for fast and accurate patient measurement.

				
Model	6437	6439	6449	6437DHR
Capacity	500 lb x .2 lb / 225 kg x .1 kg			
Height Rod		Mechanical 30 - 78 in / 76 - 200 cm	Mechanical 30 - 78 in / 76 - 200 cm	Digital 43 - 79 in / 110 - 200 cm
Handpost			•	
Power	Optional model MV1PWR AC adapter or 6 C batteries (not included)			
Shipping Weight	35 lb/15.8 kg	41 lb/18.5 kg	46 lb/20.8 kg	35 lb/15.8 kg
UPC Code	809161135909	80916116005	809161136104	809161148404
Price / Code	\$903 (B)	\$924 (B)	\$987 (B)	\$987 (B)

Scale Height: 59 in / 150 cm Platform Size: 10.5 x 14.5 in / 27 x 37 cm

WAIST-HIGH PHYSICIAN SCALES







				
Model	8437	8437S	8430	8430S
Capacity	500 lb x .2 lb / 225 kg x .1 kg			
Material	Mild steel	Stainless steel	Mild steel	Stainless Steel
Height Rod			•	•
Power	Optional model MV1PWR AC adapter or 6 C batteries (not included)			
Shipping Weight	31 lb/14 kg	31 lb/14 kg	34 lb/15.4 kg	34 lb/15.4 kg
UPC Code	809161136302	809161133004	809161136401	809161132908
Price / Code	\$886 (B)	\$1,183 (B)	\$940 (B)	\$1,241 (B)

Detecto model 6129









Scale Height: 37.5 in / 95 cm Platform Size: 10.5 x 14.5 in / 27 x 37 cm

DIGITAL WAIST-HIGH AND EYE-LEVEL PHYSICIAN SCALES

						
Model	6127	6127KG	6129	6129KG	6337	6339
Capacity	500 lb x .2 lb / 225 kg x .1 kg	225 kg x .1 kg	500 lb x .2 lb / 225 kg x .1 kg	225 kg x .1 kg	500 lb x .2 lb / 225 kg x .1 kg	500 lb x .2 lb / 225 kg x .1 kg
Scale Height	Waist high	Waist high	Waist high	Waist high	Eye level	Eye level
Height Rod			•	•		•
Power	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)					
Shipping Weight	31 lb/14 kg	31 lb/14 kg	34 lb/15.4 kg	34 lb/15.4 kg	38 lb/17.2 kg	46 lb/20.8 kg
UPC Code	809161148602	809161148701	809161148800	809161148909	809161182606	809161182705
Price / Code	\$519 (B)	\$519 (B)	\$532 (B)	\$532 (B)	\$604 (B)	\$614 (B)

Platform Size: 10.5 x 14.5 in / 27 x 37 cm

CHAIR SCALES

						
Model	475	4751	6475	6475K	6875	6880
Capacity	400 lb x 4 oz	400 lb x 4 oz / 175 kg x 100 g	400 lb x .2 lb / 180 kg x .1 kg	180 kg x .1 kg	400 lb x .2 lb / 180 kg x .1 kg	440 lb x .2 lb / 200 kg x .1 kg
Type	Mechanical	Mechanical	Digital	Digital	Digital	Digital
Power	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)					
Shipping Weight	78 lb/35.3 kg	78 lb/35.3 kg	78 lb/35.3 kg	78 lb/35.3 kg	70 lb/31.7 kg	63 lb/28.5 kg
UPC Code	809161137903	809161138009	809161138207	809161138306	809161138108	809161138405
Price / Code	\$810 (A)	\$810 (A)	\$1,117 (B)	\$1,117 (B)	\$2,401 (B)	\$1,801 (B)


Plastic-Molded Chair Seat Size: 18.25 W x 21 D x 17 H in / 46 W x 53 D x 43 H cm

DIGITAL BARIATRIC SCALES



Model	6855	6854DHR	6856	6857DHR	6800	6876	6868
Capacity	600 lb x .2 lb / 270 kg x .1 kg	600 lb x .2 lb / 270 kg x .1 kg	1,000 lb x .2 lb / 450 kg x .1 kg	1,000 lb x .2 lb / 450 kg x .1 kg	1,000 lb x .2 lb / 450 kg x .1 kg	600 lb x .2 lb / 270 kg x .1 kg	1,000 lb x .2 lb / 450 kg x .1 kg
Style	Waist high	Waist high	Waist high	Waist high	Low profile	Flip seat	Flip seat
Height Rod		Digital		Digital			
Platform Size	18 x 14 in / 46 x 36 cm	18 x 14 in / 46 x 36 cm	24 x 24 in / 61 x 61 cm	24 x 24 in / 61 x 61 cm	24 x 24 in / 61 x 61 cm	24 x 24 in / 61 x 61 cm	32 x 34 in / 81 x 86 cm
Power	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	Optional model MV1PWR AC adapter or 6 C batteries (not included)	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	Optional model MV1PWR AC adapter or 6 C batteries (not included)	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)
Shipping Weight	70 lb/31.7 kg	70 lb/31.7 kg	85 lb/38.5 kg	85 lb/38.5 kg	45 lb/20.4 kg	110 lb/49.8 kg	185 lb/83.9 kg
UPC Code	809161137507	809161180602	809161137408	809161148503	809161137309	809161137705	809161137804
Price / Code	\$2,082 (B)	\$2,342 (B)	\$2,211 (B)	\$2,532 (B)	\$2,436 (B)	\$2,887 (B)	\$3,707 (B)

STATIONARY WHEELCHAIR SCALES



Model	495	4951	6495	485	4851	3PRAMP	7550
Capacity	400 lb x 4 oz	180 kg x 100 g	800 lb x .2 lb / 360 kg x .1 kg	350 lb x 4 oz	160 kg x 100 g	Wheelchair ramp	1,000 lb x .2 lb / 450 kg x .1 kg
Type	Mechanical	Mechanical	Digital	Mechanical	Mechanical	Accessory	Digital
Platform Size	30 x 26 in / 76 x 66 cm	30 x 26 in / 76 x 66 cm	30 x 26 in / 76 x 66 cm	27 x 30 in / 69 x 76 cm	27 x 30 in / 69 x 76 cm	27 x 30 in / 69 x 76 cm	32.3 x 33 in / 82 x 84 cm
Shipping Weight	194 lb/87.9 kg	194 lb/87.9 kg	187 lb/84.8 kg	66 lb/29.9 kg	66 lb/29.9 kg	32 lb/14.5 kg	238 lb/108 kg
UPC Code	809161138504	809161138603	809161138702	809161138801	809161184006	809161184105	809161190908
Price / Code	\$3,115 (A)	\$3,115 (A)	\$2,664 (B)	\$1,284 (A)	\$1,284 (A)	\$874 (A)	\$4,263 (B)

Power (6495 and 7550): Optional model MV1PWR AC adapter or 6 C batteries (not included)

- 1,000 lb / 450 kg Capacity
- Optional Wi-Fi for EMR/EHR
- Sturdy Steel Construction
- USA-Made Quality



Detecto's 7550 Wheelchair Scale folds up compact against the wall to conserve floor space when not in use.



PORTABLE WHEELCHAIR SCALES



Model	6550	BRW1000	6500	CR-1000D	CR-500D
Capacity	1,000 lb x .2 lb / 450 kg x .1 kg	1,000 lb x .2 lb / 450 kg x .1 kg	1,000 lb x .2 lb / 450 kg x .1 kg	1,000 lb x .5 lb / 450 kg x .2 kg	500 lb x .2 lb / 225 kg x .1 kg
Platform Size (flat portion)	30 x 32 in / 76 x 81 cm	40 x 30 in / 101 x 76 cm	30 x 32 in / 76 x 81 cm	30 x 28.5 in / 76 x 72 cm	30 x 28.5 in / 76 x 72 cm
Power	Optional model MV1PWR AC adapter or 6 C batteries (not included)				
Shipping Weight	91 lb/41.2 kg	75 lb/34 kg	65 lb/29.4 kg	113 lb/51.2 kg	113 lb/51.2 kg
UPC Code	809161139402	809161139303	809161139204	809161139600	809161139501
Price / Code	\$2,682 (B)	\$2,685 (B)	\$2,459 (B)	\$2,542 (B)	\$2,542 (B)

Detecto's model 6550 Portable Wheel Chair Scale with Column


- 1,000 lb / 450 kg capacity with optional Wi-Fi
- Portable scale with vertical fold-up storage
- 2-way low-profile platform for easy patient access



The 6550's 30 x 32 in / 76 x 81 cm platform features integral sloped ramps allowing access from either side.




WHEELCHAIR AND IN-FLOOR SCALES



Model	FHD-133-II	FHD-144-II	FH-133-II/C	FH-133-II/CH	FH-144-II/C	FH-144-II/CH
Capacity	1,000 lb x .2 lb / 450 kg x .1 kg					
Description	Low profile	Low profile	In floor	In floor (handrail)	In floor	In floor (handrail)
Platform Size	36 x 36 in / 91 x 91 cm	48 x 48 in / 122 x 122 cm	36 x 36 in / 91 x 91 cm	36 x 36 in / 91 x 91 cm	48 x 48 in / 122 x 122 cm	48 x 48 in / 122 x 122 cm
Handrail				•		•
Power	Optional model MV1PWR AC adapter or 6 C batteries (not included)		110V AC (included)			
Shipping Weight	315 lb/142.8 kg	460 lb/208.6 kg	165 lb/74.8 kg	170 lb/77.1 kg	232 lb/105.2 kg	245 lb/111.1 kg
UPC Code	809161139709	809161139808	809161139907	809161140002	809161140309	809161140408
Price / Code	\$3,269 (B)	\$3,677 (B)	\$5,649 (B)	\$5,891 (B)	\$5,925 (B)	\$6,305 (B)


In-floor scales come with model 204FWMP digital weight indicator/printer combo and steel frame pit kits. Consult factory for pit installations.

IN-FLOOR SCALES AND ACCESSORIES



Model	FH-164-II/C	FH-164-II/CH	204	204FWM	204FWMP
Capacity	1,000 lb x .2 lb / 450 kg x .1 kg				
Description	In floor scale	In floor scale (handrail)	digital weight indicator	wall-mount 204 indicator	wall-mount indicator/printer
Platform Size	72 x 48 in / 182 x 122 cm	72 x 48 in / 182 x 122 cm			
Handrail		•			
Power	110V AC (included)				
Shipping Weight	385 lb/174.6 kg	390 lb/176.9 kg	4 lb/1.8 kg	4 lb/1.8 kg	12 lb/5.4 kg
UPC Code	809161140507	809161140606	809161150001	809161150100	809161150209
Price / Code	\$7,308 (B)	\$7,561 (B)	\$470 (C)	\$910 (C)	\$2,019 (C)

In-floor scales come with model 204FWMP digital weight indicator/printer combo and steel frame pit kits. Consult factory for pit installations.



Detecto's in-floor scales are ideal for dialysis patient monitoring and bariatric weighing.

Detecto's model FH-164-II/C and FH-164-II/CH 6-ft-long digital in-floor scales accommodate stretchers and beds with no need for dual scale systems.

IN-BED SCALES AND ACCESSORIES



Model	IBFL500	IB800	0046-C007-08	0046-C247-08
Capacity / Description	500 lb x .1 lb / 225 kg x .1 kg	800 lb x .2 lb / 350 kg x .1 kg	6 ft stretcher for IB400	6 ft stretcher for IBFL500/IB800
Doorway Size	Fits through 36 in / 91 cm	Fits through 32 in / 81 cm		
Base	Fixed	Adjustable		
Power	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)			
Shipping Weight	207 lb/93.9 kg	400 lb/181.4 kg	10 lb/4.5 kg	10 lb/4.5 kg
UPC Code	809161187700	809161187809	809161143607	809161143805
Price / Code	\$4,201 (B)	\$6,440 (B)	\$291 (A)	\$291 (A)



The IBFL500 features EMR/EHR-ready serial connectivity, stretcher holder, and 1-in-high LCD digits.



Detecto's in-bed scales offer top-of-the-line quality and support for bed-bound patients.

Detecto's model IBFL500 features fixed-leg steel support for patient security at an economical price.

PATIENT LIFT SCALES AND KIT ADAPTERS










Model	PL400	PL600	PL-HLKIT*	PL-ICKIT*	11S400H
Capacity / Description	400 lb x .2 lb / 180 kg x .1 kg	600 lb x .2 lb / 270 kg x .1 kg	Connects the Hoyer® yoke to Detecto's PL400 or PL600	Connects the Invacare® models RPA600-1, RPL450, or 9805 patient lifts to Detecto's PL400 or PL600	400 lb x 1 lb
Type	Digital	Digital	Connecting kit	Connecting kit	Mechanical
Power	(1) 9V battery (not included)				None
Shipping Weight	10 lb/4.5 kg	10 lb/4.5 kg	2 lb/.9 kg	2 lb/.9 kg	12 lb/5.4 kg
UPC Code	809161142907	809161143003	809161143102	809161143201	809161109603
Price / Code	\$700 (B)	\$985 (B)	\$135 (A)	\$167 (A)	\$496 (A)





Hoyer® and Invacare® are trademarks of their respective companies.

*Patient lift itself is not included.

DIGITAL BABY SCALES AND ACCESSORIES






							
Model	6745	SPBT-1728	RC33669WHT	8432-CH	8435	8440	8440-CASE
Capacity / Description	30 lb x .1 oz / 15 kg x .005 kg	Rolling baby scale cart	Baby scale cart with drawers	44 lb x .05 lb / 20 kg x .02 kg	130 lb x .1 lb / 59 kg x .05 kg	44 lb x 1/2 oz / 20 kg x 10 g	Carrying case for model 8440
Power	Built-in battery charger for 6 C batteries (not included) and AC power cord (included)			Optional model 6800-1045 AC adapter or 6 AA batteries (not included)		1 9V battery (not included) and 1 3V lithium back-up battery for memory (included) AC adapter included	
Shipping Weight	25 lb/11.3 kg	40 lb/18.1 kg	132 lb/.5 kg	38 lb/17.2 kg	33 lb/14.9 kg	8 lb/3.6 kg	5 lb/2.2 kg
UPC Code	809161140705	809161140804	809161197600	809161140903	809161141009	809161141207	809161141306
Price / Code	\$1,406 (B)	\$462 (B)	\$1,014 (P)	\$1,351 (B)	\$1,144 (B)	\$287 (B)	\$82 (A)

DIGITAL BABY/STANDING SCALES AND LENGTH MEASUREMENT

				
Model	MB130	MB-CASE	DLM	MLM
Capacity / Description	0 - 10 kg x 5 g / 0 - 20 lb x .01 lb / 10 - 20 kg x 10 g / 20 - 40 lb x .02 lb	Carrying case for MB130	Digital length measurement (use stand-alone or attach to MB130)	Mechanical infant length measurement
Power	1 9V battery (not included) or AC adapter (included)		2 1.5V AAA batteries (included)	
Shipping Weight	8 lb/3.6 kg	5 lb/2.3 kg	5 lb/2.3 kg	2 lb/.9 kg
UPC Code	809161184402	809161184501	809161141405	809161188301
Price / Code	\$397 (B)	\$82 (A)	\$202 (B)	\$195 (P)










MECHANICAL BABY SCALES




					
Model	243	2431	2441	253	2531
Capacity	20 lb x 2 oz	10 kg x 50 g	16 kg x 100 g	41 lb x 1/4 oz	20 1/2 kg x 10 g
Shipping Weight	21 lb/9.5 kg	21 lb/9.5 kg	21 lb/9.5 kg	30 lb/13.6 kg	30 lb/13.6 kg
UPC Code	809161141603	809161141702	809161141801	809161142105	809161142204
Price / Code	\$349 (A)	\$349 (A)	\$336 (A)	\$882 (A)	\$882 (A)

DETECTO model RC33669WHT baby scale cart shown with model MB130 digital pediatric scale.

MECHANICAL BABY SCALES

							
Model	459-CH	450	451	459	4591	MCS25KGNT	HS25KGP
Capacity	40 lb x .5 oz / 17.5 kg x 10 g	130 lb x 1 oz	65 kg x 20 g	40 lb x .5 oz / 17.5 kg x 10 g	20 kg x 10 g	25 kg x 100 g	25 kg x 100 g
Seat Type	Inclined shell-shaped seat	Flat tray	Flat tray	Flat tray	Flat tray	Suspended sling seat	Suspended sling seat
Shipping Weight	38 lb/17.2 kg	33 lb/14.9 kg	33 lb/14.9 kg	33 lb/14.9 kg	33 lb/14.9 kg	6 lb/2.7 kg	4 lb/1.8 kg
UPC Code	809161142303	809161142402	809161142501	809161142600	809161182507	809161141900	809161186208
Price / Code	\$880 (A)	\$674 (A)	\$674 (A)	\$674 (A)	\$674 (A)	\$355 (A)	\$261 (A)

WET DIAPER AND PORTABLE HOME HEALTHCARE SCALES






			
Model	AP-4KD	PS5A-2KD	WPS12DT
Capacity	4,000 g x 1 g	70 oz x .1 oz / 1,998 g x 2 g	12 lb x 0.1 oz / 12 lb x 0.005 lb / 12 lb x 1/8 oz / 192 oz x 0.05 oz / 192 oz x 1/8 oz / 5,500 g x 1 g
Power	Model 728R90 AC adapter (included)	Model 6800-1013 AC adapter (included)	AC adapter (included)
Shipping Weight	5 lb/2.3 kg	5 lb/2.3 kg	7.1 lb/3.2 kg
UPC Code	809161142709	809161142808	809161201901
Price / Code	\$795 (B)	\$492 (B)	\$499 (B)




DETECTO's stainless steel Mariner® Wet Diaper Scale can be completely submerged underwater for easy wash-down cleaning.

WPS12DT

WET DIAPER AND PORTABLE HOME HEALTHCARE SCALES


					
Model	DR400C	DR400C-CASE	DR400-750	DR550C	DR660
Capacity	400 lb x .5 lb / 180 kg x .2 kg	Carrying case for DR400/DR550	400 lb x .2 lb / 180 kg x .1 kg	550 lb x .2 lb / 250 kg x .1 kg	660 lb x .5 lb / 300 kg x .2 kg
Power	AC adapter (included) or 6 AA batteries (not included)		Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	AC adapter (included) or 6 AA batteries (not included)	Built-in rechargeable battery pack (included) or AC adapter (included)
Shipping Weight	13 lb/5.9 kg	5 lb/2.3 kg	15 lb/6.8 kg	13 lb/5.9 kg	28 lb/12.5 kg
UPC Code	809161143904	809161137200	809161137101	809161144000	809161185607
Price / Code	\$361 (B)	\$85 (A)	\$576 (B)	\$403 (B)	\$735 (B)

PORTABLE HOME HEALTHCARE AND BATHROOM SCALES



Model	GP-600-MV1	SLIMPRO	6600-1940	D350	D350K	D1130	D1130K
Capacity / Description	600 lb x .2 lb / 270 kg x .1 kg	440 lb x .2 lb / 200 kg x 100 g	SLIMPRO RS232 serial cable	350 lb 1 lb / 160 kg x 1 kg	160 kg x .5 kg	300 lb x 1 lb	130 kg x 500 g
Power	Optional model MV1PWR AC adapter or 6 C batteries (not included)	4 AAA batteries (included)					
Shipping Weight	31 lb/14 kg	5 lb/2.3 kg	2 lb/.9 kg	18 lb/8.1 kg	18 lb/8.1 kg	9 lb/4 kg	9 lb/4 kg
UPC Code	809161190700	809161189001	809161189100	809161144208	809161144307	809161144406	809161144505
Price / Code	\$1,579 (B)	\$132 (P)	\$20 (P)	\$153 (A)	\$153 (A)	\$94 (A)	\$94 (A)

VETERINARY SCALES AND ACCESSORIES



Model	VET-50	VET330WH	VET-400	VET-MAT
Capacity	50 lb x .02 lb / 20 kg x .01 kg	330 lb x .2 lb / 150 kg x .1 kg	400 lb x .2 lb / 200 kg x .1 kg	Rubber mat for VET-400
Platform Size	12 x 14 in / 31 x 36 cm	36 x 22 in / 90 x 55 cm	42 x 22 in / 107 x 55 cm	
Power	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	Built-in rechargeable battery and AC adapter (included)	Optional model 6800-1045 AC adapter or 6 AA batteries (not included)	
Shipping Weight	15 lb/6.8 kg	50 lb/22.7 kg	76 lb/34.4 kg	5 lb/2.3 kg
UPC Code	809161146202	809161146301	809161146400	809161146509
Price / Code	\$681 (B)	\$1,006 (B)	\$1,565 (B)	\$104 (A)

Detecto's model VET330WH veterinary scale features a 330-lb capacity, built-in wheels and carrying handle, stainless steel platform, rechargeable battery power, and 1-inch-high bold LCD readouts.



AC Adapter Cross-Reference Chart for Health Care and Food Service

AC ADAPTERS



Model	8529-B217-08	6800-1013	6800-1044	6800-1045	MV1PWR	6800-1046
Scales	Adapter for PC10/20/30	Adapter for PS-5A and PS6A	Adapter for PS7 and PS11	Adapter for PZ, AP, 204, and 750 enabled scales	Adapter for MedVue-enabled scales	Adapter for PS4
Voltage	0.7A	0.1A	0.3A	1.0A	1.25A	0.1A
In / Out	120V/12VDC	120V/6VDC	120V/15VDC	100-240V/12VDC	100-240V/12VDC	120V/9VDC
Shipping Weight	1 lb/.5 kg	1 lb/.5 kg	1 lb/.5 kg	1 lb/.5 kg	1 lb/.5 kg	1 lb/.5 kg
UPC Code	809161180008	809161180107	809161180206	809161136203	809161189506	809161148008
Price / Code	\$68 (C)	\$51 (C)	\$55 (C)	\$65 (C)	\$65 (C)	\$51 (C)

AC ADAPTERS



Model	PD-AC	PD-UKPLUG	PD-EUPLUG
Scales	Adapter for solo® and ProDoc® scales	UK plug for PD-AC	Euro plug for PD-AC
Voltage	1.0A	1.0A	1.0A
In / Out	100-240V/9VDC	100-240V/9VDC	100-240V/9VDC
Shipping Weight	1 lb/.5 kg	1 lb/.5 kg	1 lb/.5 kg
UPC Code	809161148305	809161149302	809161149401
Price / Code	\$54 (P)	\$7 (P)	\$5 (P)


PRICE COMPUTING SCALES WITH INTEGRAL PRINTERS AND ACCESSORIES



Model	DL1030	DL1030P	DL1060	DL1060P
Capacity / Description	30 lb x .01 lb	30 lb x.01 lb with tower pole display	60 lb x.02 lb	60 lb x .02 lb with tower pole display
Platform Size	12.8 in W x 8.9 in D / 32.5 W x 22.6 D cm			
Ports	Ethernet, RS232 serial, USB, and cash drawer ports			
Power	AC power cord (included)			
Shipping Weight	15.4 lb / 7.0 kg	17.0 lb / 7.7 kg	15.4 lb / 7.0 kg	17.0 lb / 7.7 kg
UPC Code	809161199406	809161199505	809161199604	809161199703
Price / Code	\$1,399 (C)	\$1,449 (C)	\$1,429 (C)	\$1,469 (C)

- Integrated thermal label printer
- Label sizes from 30mm up to 90mm length and 58mm width
- 50 label types available via included software
- 30-lb and 60-lb capacity models available
- NTEP legal-for-trade certified
- 4 LED display windows and 1 dot matrix text screen
- 5,990 PLUs
- 12.8 in W x 8.9 in D stainless steel platform
- Ethernet, RS232 serial, USB, and cash drawer ports

DL SERIES LABELS



Model	6600-3001	6600-3002	6600-3003	6600-3004
Description	Separate die-cut UPC	Separate die-cut UPC	Separate die-cut UPC with safe handling image	Separate UPC blank label
Size	2.283 in x 1.57 in / 58 mm x 40 mm	2.283 in x 2.362 in / 58 mm x 60 mm	2.283 in x 2.362 in / 58 mm x 60 mm	2.283 x 1.574 in / 58 mm x 40 mm
Labels/Roll	700	500	500	700
Shipping Weight	1 lb/.5 kg	1 lb/.5 kg	1 lb/.5 kg	1 lb/.5 kg
UPC Code	809161202007	809161202106	809161202205	809161202304
Price/Code	\$9.25 (C)	\$9.25 (C)	\$9.25 (C)	\$9.25 (C)
Quantity Pricing	12 or more \$7.75 per roll (C)	12 or more \$7.75 per roll (C)	12 or more \$7.75 per roll (C)	12 or more \$7.75 per roll (C)

Available in models with or without a tower pole and additional LED display, DETECTO's DL series price computing scales feature an integral thermal label printer and five optional standard label rolls available through DETECTO (listed above).








DL1030









DL1030P






DIGITAL PRICE COMPUTING SCALES AND ACCESSORIES

								
Model	DM15	D15	D30	D60	P225	7100-0025	7100-0026	
Capacity/Description	240 oz x .1 oz / 15 lb x .005 lb	15 lb x .005 lb / 6 kg x .002 kg	30 lb x .01 lb / 15 kg x .005 kg	60 lb x .02 lb / 30 kg x .01 kg	2 in wide direct thermal label printer	RS232 serial cable for D series to P225 printer	D series thermal label roll - 2.25 in x 1.25 in labels - 1,135 labels per roll	
Platform Size	12.6 W x 9 D in / 32 W x 23 D cm							
Power	Rechargeable battery pack and AC adapter (included)					AC adapter (included)		
Shipping Weight	11.4 lb/5.2 kg	11.4 lb/5.2 kg	11.4 lb/5.2 kg	11.4 lb/5.2 kg	5 lb/2.2 kg	1 lb/.5 kg	1 lb/.5 kg	
UPC Code	809161191103	809161190403	809161190502	809161190601	809161202502	809161202601	809161202700	
Price / Code	\$474 (A)	\$474 (A)	\$474 (A)	\$474 (A)	\$716 (A)	\$18.75 (A)	\$11.50 (A) 12 or more \$10 per roll (A)	

DIGITAL PRICE COMPUTING SCALES AND ACCESSORIES

						
Model	PC-10	PC-20	PC-30	P220	6100-0001	6600-0220
Description / Capacity	6 lb x .002 lb	15 lb x .005 lb	30 lb x .01 lb	Thermal Label Printer for PC-10/20/30	White plastic footed scoop with spout	Labels for P220 printer
Details / Platform Size	13.5 W x 8.8 D in / 34 W x 22 D cm			AC adapter (included)		1,370 labels Price per roll
Serial Output	•	•	•			
Power	AC adapter model 8529-B217-08 (included)					
Shipping Weight	21 lb/9.5 kg	21 lb/9.5 kg	21 lb/9.5 kg	5 lb/2.2 kg	3 lb/1.3 kg	1 lb/.5 kg
UPC Code	809161100105	809161100204	809161100303	809161100709	809161100402	809161150506
Price / Code	\$839 (A)	\$839 (A)	\$839 (A)	\$904 (A)	\$65 (A)	\$16.50 (A)

DIGITAL PRICE COMPUTING SCALE ACCESSORIES

			
Model	6600-0205	6600-0200	8529-B304-0A
Description / Capacity	Labels for P205 printer	Labels for P200 printer	Replacement cable for PC to P220 printer
Details / Platform Size	1,500 labels Price per roll	185 labels Price per roll	
Shipping Weight	1 lb/.5 kg	1 lb/.5 kg	1 lb/.5 kg
UPC Code	809161122107	809161100907	809161150407
Price / Code	\$19 (A)	\$8.50 (A)	\$70 (A)

DETECTO's D series price computing scales now include a RS232 serial port standard providing label printer connectivity.



D30

P225

DIGITAL INGREDIENT SCALES AND ACCESSORIES



Model	RP30S	RP30R
Capacity / Description	30 lb x 0.1 oz / 15 kg x 5 g	30 lb x 0.1 oz / 15 kg x 5 g
Platform Size	17 in W x 13 in D / 43 cm W x 33 cm D	13 in / 33 cm diameter round
Power	Rechargeable battery and AC	
Shipping Weight	18 lb / 8 kg	18 lb / 8 kg
UPC Code	809161188103	809161188202
Price / Code	\$852 (A)	\$852 (A)



RP30S with 360-degree patented rotating stainless steel platform

DIGITAL INGREDIENT SCALES AND ACCESSORIES



Model	PZ3015	PZ3015L	PZ3030	PZ3060	PZFS	PZPB
Capacity / Description	15 lb x 1/8 oz / 240 oz x .1 oz / 15 lb x .005 lb / 7 kg x 2 g / 7 kg x .005 kg	15 lb x 1/8 oz / 240 oz x .1 oz / 15 lb x .005 lb / 7 kg x 2 g / 7 kg x .005 kg	30 lb x 1/4 oz / 480 oz x .1 oz / 30 lb x .01 lb / 15 kg x 5 g / 30 lb x .1 oz / 15 kg x .005 kg	60 lb x 1/4 oz / 60 lb x .02 lb / 30 kg x .02 kg	Foot tare pedal for PZ3000 scales	Mountable tare button for PZ3000 scales
Platform Size	8 W x 8 D in / 20 W x 20 D cm	12 W x 12 D in / 30 W x 30 D cm	12 W x 12 D in / 30 W x 30 D cm	14 W x 12 D in / 36 W x 30 D cm		
Power	Rechargeable built-in battery pack (batteries not included) and model 6800-1045 AC adapter (included). Model PZ3060 includes batteries.					
Shipping Weight	10 lb/4.5 kg	18 lb/8.2 kg	18 lb/8.2 kg	24 lb/10.9 kg	2 lb/.9 kg	1 lb/.5 kg
UPC Code	809161194500	809161194609	809161194708	809161187205	809161139303	809161139402
Price / Code	\$1,135 (A)	\$1,160 (A)	\$1,232 (A)	\$1,575 (A)	\$159 (A)	\$159 (A)



Detecto PZ3060

Detecto's stainless steel PZ3000 features totally touchless zeroing of each ingredient for more sanitary conditions and faster prepping. The scales allow convenient units switching between most used measurements and each measurement can easily be turned off.


BAKER DOUGH SCALES



Model	1001TB	1001TBNS	1001TBKG	1001T2B	1001T2BNS	1002TB	1002TBNS
Capacity	16 lb	16 lb	8 kg	16 lb	16 lb	8 lb	8 lb
Beam Grads	16 oz x 1/4 oz	16 oz x 1/4 oz	500 g x 5 g	32 oz x 1/2 oz	32 oz x 1/2 oz	16 oz x 1/4 oz	16 oz x 1/4 oz
Finish	White enamel	White enamel	White enamel	White enamel	White enamel	White enamel	White enamel
Scoop	•		•	•		•	
Shipping Weight	38 lb/17.2 kg	38 lb/17.2 kg	38 lb/17.2 kg	38 lb/17.2 kg	38 lb/17.2 kg	30 lb/13.6 kg	30 lb/13.6 kg
UPC Code	809161103007	809161103106	809161103205	809161126402	809161126501	809161103304	809161103403
Price / Code	\$728 (A)	\$707 (A)	\$774 (A)	\$774 (A)	\$707 (A)	\$639 (A)	\$592 (A)

Platform: 9 in / 23 cm diameter Scoop: White plastic

BAKER DOUGH SCALES



Model	1002TBKG	1002T2B	1002T2BNS	1051TBS	1051TBSKG	1052TBS	1052TBSKG
Capacity	5 kg	8 lb	8 lb	16 lb	8 kg	8 lb	5 kg
Beam Grads	500 g x 5 g	32 oz x 1/2 oz	32 oz x 1/2 oz	16 oz x 1/4 oz	500 g x 5 g	16 oz x 1/4 oz	500 g x 5 g
Finish	White enamel	White enamel	White enamel	Stainless steel	Stainless steel	Stainless steel	Stainless steel
Scoop	•	•		•	•	•	•
Shipping Weight	30 lb/13.6 kg	30 lb/13.6 kg	30 lb/13.6 kg	38 lb/17.2 kg	38 lb/17.2 kg	30 lb/13.6 kg	30 lb/13.6 kg
UPC Code	809161103502	809161131000	809161131109	809161103601	809161127003	809161103700	809161127102
Price / Code	\$639 (A)	\$639 (A)	\$591 (A)	\$917 (A)	\$917 (A)	\$869 (A)	\$869 (A)







Platform: 9 in / 23 cm diameter Scoop: White plastic

BAKER DOUGH SCALE MACHINED WEIGHTS








Model	1WP1-1	1WP2-1	1WP4-1	1WP8-1	1WK1-1	1WK2-1	1WK0500-1
Capacity	1 lb	2 lb	4 lb	8 lb	1 kg	2 kg	500 g
Shipping Weight	2 lb/.9 kg	3 lb/1.3 kg	5 lb/2.3 kg	9 lb/4 kg	3 lb/1.4 kg	5 lb/2.3 kg	2 lb/.9 kg
UPC Code	809161103809	809161103908	809161104004	809161104103	809161121605	809161121704	809161121803
Price / Code	\$49 (A)	\$60 (A)	\$70 (A)	\$91 (A)	\$82 (A)	\$116 (A)	\$70 (A)

SCOOPS, BOWLS, AND DIGITAL PORTION CONTROL SCALES

						
Model	285R31	6100-0001	6100-0002	6100-0003	ICH1	ICH2
Description / Capacity	White plastic scoop with spout	Confectionary scoop	White plastic bakers dough scoop	Stainless steel bowl	Single cone holder (stainless steel)	Dual cone holder (stainless steel)
Dimensions / Power	12 x 6.5 x 2.5 in / 30 x 16.5 x 6.3 cm	12 x 10 x 4 in / 30 x 25.4 x 10 cm	21 x 12 x 5.75 in / 53 x 30.5 x 14.6 cm	7 x 7 x 3 in / 17.8 x 17.8 x 7.6 cm		
Shipping Weight	3 lb/1.4 kg	3 lb/1.4 kg	3 lb/1.4 kg	3 lb/1.4 kg	2 lb/.9 kg	2 lb/.9 kg
UPC Code	809161102307	809161100402	809161104400	809161102406	809161180404	809161180503
Price / Code	\$89 (A)	\$65 (A)	\$94 (A)	\$66 (A)	\$64 (A)	\$64 (A)

DIGITAL PORTION CONTROL SCALES AND ACCESSORIES








					
Model	PS4	PS-5A	PS-6A	PS7	WPS12
Capacity / Description	4 lb x 0.1 oz / 2,000 g x 1 g	70 oz x .1 oz / 1,998 g x 2 g	70 oz x .25 oz	7 lb x .1 oz / 112 oz x .1 oz / 112 oz x 1/8 oz / 3,000 g x 1 g / 7 lb x .005 lb	12 lb x .1 oz / 12 lb x .005 lb / 12 lb x 1/8 oz / 192 oz x .05 oz / 192 oz x 1/8 oz / 5,500 g x 1 g
Power	AC adapter model 6800-1046 (included) or 1 9V battery (not included)	AC adapter model 6800-1013 (included) or 4 AA batteries (not included)	AC adapter model 6800-1013 (included) or 4 AA batteries (not included)	AC adapter model 6800-1044 (included) and built-in rechargeable battery pack	AC adapter (included) and built-in rechargeable battery pack
Shipping Weight	4 lb/1.8 kg	5 lb/2.3 kg	5 lb/2.3 kg	4 lb/1.8 kg	5 lb/2.3 kg
UPC Code	809161145908	809161101102	809161101300	809161128307	809161194302
Price / Code	\$229 (A)	\$482 (A)	\$516 (A)	\$408 (A)	\$563 (A)










WPS12

DETECTO's Mariner® model WPS12 portion scale may be completely submersed underwater for easy wash-down cleaning.

DIGITAL PORTION CONTROL SCALES

							
Model	PS11	PS30	AP-6	AP-8	AP-10	AP-20	AP-4K
Capacity	11 lb x .1 oz / 176 oz x .1 oz / 176 oz x 1/4 oz / 5000 g x 2 g / 11 lb x .005 lb	0-15 lb x .1 oz / 5-30 lb x .2 oz (0-6 kg x 2 g / 6-15 kg x 5 g)	99.95 oz x .05 oz	7.998 lb x .002 lb	9.995 lb x .005 lb	19.99 lb x .01 lb	3,999 g x 1 g
Power	AC adapter model 6800-1044 (included) and built-in rechargeable battery pack	AC adapter (included) or 4 AA batteries (not included)	AC adapter model 6800-1045 (included)	AC adapter model 6800-1045 (included)	AC adapter model 6800-1045 (included)	AC adapter model 6800-1045 (included)	AC adapter model 6800-1045 (included)
Shipping Weight	6 lb/2.7 kg	10.4 lb / 4.7 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg
UPC Code	809161146103	809161192704	809161101904	809161102000	809161102109	809161102208	809161101805
Price / Code	\$544 (A)	\$629 (A)	\$731 (A)	\$731 (A)	\$731 (A)	\$854 (A)	\$731 (A)






TOP LOADING DIAL SCALES

							
Model	PT-1	PT-2	PT-5	PT-25	PT-2R	PT-5R	PT-5SR
Capacity	16 oz x 1/4 oz	32 oz x 1/4 oz	5 lb x 1/2 oz	25 lb x 1/8 lb	32 oz x 1/4 oz	5 lb x 1/2 oz	5 lb x 1/2 oz
Dial	Fixed	Fixed	Fixed	Fixed	Rotating	Rotating	Rotating
Finish	White enamel	White enamel	White enamel	White enamel	White enamel	White enamel	Stainless steel
Shipping Weight	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg
UPC Code	809161104608	809161104707	809161104806	809161104905	809161105001	809161105209	809161122503
Price / Code	\$88 (A)	\$94 (A)	\$96 (A)	\$104 (A)	\$104 (A)	\$107 (A)	\$119 (A)

Platform: 5.75 x 5.75 in / 15 x 15 cm (all except for PT25 models: 7.9 x 5.9 in / 20 x 15 cm)

Dial Size: 6 in / 15 cm diameter

TOP LOADING DIAL SCALES

					
Model	PT-25-R	PT-25-SR	PT-500-RK	PT-500SRK	PT-1000RK
Capacity	25 lb x 1/8 lb	25 lb x 1/8 lb	500 g x 2 g	500 g x 2 g	1,000 g x 5 g
Dial	Rotating	Rotating	Rotating	Rotating	Rotating
Finish	White enamel	Stainless steel	White enamel	Stainless steel	White enamel
Shipping Weight	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg
UPC Code	809161105308	809161122701	809161105407	809161105506	809161105605
Price / Code	\$107 (A)	\$119 (A)	\$112 (A)	\$121 (A)	\$114 (A)








Platform: 5.75 x 5.75 in / 15 x 15 cm (all except for PT25 models: 7.9 x 5.9 in / 20 x 15 cm)

Dial Size: 6 in / 15 cm diameter








DETECTO's PT top loading dial scales feature sturdy construction, stainless steel weighing platforms, convenient weight viewing angle, temperature compensation for dependable accuracy, red weight pointer, and easy readability.

TOP LOADING DIAL SCALES

							
Model	T2	T2-S	T2-D	T5	T5-D	T10	T25
Capacity	32 oz x 1/8 oz	32 oz x 1/8 oz	32 oz x 1/8 oz	5 lb x 1/2 oz	5 lb x 1/2 oz	10 lb x 1 oz	25 lb x 1 oz
Air Dashpot			•		•		
Finish	White enamel	Stainless steel	White enamel	White enamel	White enamel	White enamel	White enamel
Shipping Weight	8 lb/3.6 kg	8 lb/3.6 kg	8 lb/3.6 kg	8 lb/3.6 kg	8 lb/3.6 kg	8 lb/3.6 kg	8 lb/3.6 kg
UPC Code	809161107104	809161107500	809161193503	809161107708	809161193602	809161107906	809161108101
Price / Code	\$165 (A)	\$234 (A)	\$202 (A)	\$165 (A)	\$202 (A)	\$165 (A)	\$165 (A)

Platform: 9 x 9 in / 23 x 23 cm **Dial Size:** 8 in / 20 cm diameter

TOP LOADING DIAL SCALES

					
Model	T50	T25-KP	T50-KP	T100	T200
Capacity	50 lb x 2 oz	25 kg x 100 g / 55 lb x 4 oz	50 kg x 200 g / 110 lb x 1/2 lb	100 lb x 4 oz	200 lb x 8 oz
Dial Type	Fixed	Fixed	Fixed	Fixed	Fixed
Dial Size	8 in / 20 cm diameter	8 in / 20 cm diameter	10.5 in / 27 cm diameter	10.5 in / 27 cm diameter	10.5 in / 27 cm diameter
Finish	White enamel	White enamel	White enamel	Tan enamel	Tan enamel
Platform	9 x 9 in / 23 x 23 cm	9 x 9 in / 23 x 23 cm	9 x 9 in / 23 x 23 cm	11.5 x 11.5 in / 29 x 29 cm	15 x 15 in / 38 x 38 cm
Shipping Weight	8 lb/3.6 kg	8 lb/3.6 kg	26 lb/11.8 kg	20 lb/9 kg	24 lb/10.9 kg
UPC Code	80916118309	809161109009	809161121506	809161108408	809161108507
Price / Code	\$165 (A)	\$166 (A)	\$332 (A)	\$332 (A)	\$437 (A)


TOP LOADING DIAL SCALES WITH BOWL









Model	T25B	T50B
Capacity	25 lb x 1 oz	50 lb x 2 oz
Dial Type	Fixed	Fixed
Dial Size	8 in / 20 cm diameter	8 in / 20 cm diameter
Finish	White enamel	White enamel
Shipping Weight	11 lb/5 kg	11 lb/5 kg
UPC Code	809161133400	809161108606
Price / Code	\$201 (A)	\$201 (A)

Platform: Stainless steel platform with folded edges for easy removal of stainless steel bowl





Detecto's model T-2-D top loading dial scales feature an air dashpot which reduces the oscillation of the indicator pointer for high-volume weighing.



DIGITAL HANGING SCALES

						
Model	SCS30	HS-STAND	HSDC-20	HSDC-40	HSDC-100	HSDC-200
Capacity	30 lb x .02 lb		20 lb x .01 lb	40 lb x .02 lb	99.95 lb x .05 lb	200 lb x .1 lb
Display/Description	1.4 in / 35.6 mm H LCD	24 in W x 27.3 in D x 71.5 in H / 61 cm W x 69.3 cm D x 181.6 cm H	1 in / 25 mm high LCD			
Power	Solar cell		6 C batteries (not included)			
Legal for Trade	•		•	•	•	•
Shipping Weight	7 lb/3.2 kg	33 lb/15 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg
UPC Code	809161194401	809161194807	809161127409	809161187106	809161112108	809161112207
Price / Code	\$549 (A)	\$295 (A)	\$1,212 (A)	\$1,250 (A)	\$1,329 (A)	\$1,558 (A)

DIGITAL HANGING SCALES

				
Model	HSDC-500	HSDC-20KG	HSDC-40KG	HSDC-100KG
Capacity	500 lb x .2 lb	20 kg x .01 kg	40 kg x .02 kg	99.95 kg x .05 kg
Display	1 in / 25 mm high LCD			
Power	6 C batteries (not included)			
Legal for Trade		•	•	•
Shipping Weight	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg
UPC Code	809161112306	809161112405	809161127508	809161112603
Price / Code	\$1,633 (A)	\$1,244 (A)	\$1,320 (A)	\$1,558 (A)

DETECTO's exclusive digital solar hanging scale is powered completely by light and never requires battery replacement. The model SCS30 is NTEP approved legal for trade making it ideal for grocery stores, farmers markets, hardware stores, and roadside produce stands where customers pay by weight.



SCS30

HANGING DIAL SCALES

					
Model	11S200H	11S400H	11S200HKG	11S400HKG	T3530
Capacity	200 lb x .5 lb	400 lb x 1 lb	100 kg x 500 g	200 kg x 500 g	32 lb
Revolutions	1	1	1	1	3.2
Construction	Cast iron	Cast iron	Cast iron	Cast iron	Stainless steel
Dial Size Dia.	7 in / 18 cm	7 in / 18 cm	7 in / 18 cm	7 in / 18 cm	14.5 in / 37 cm
Double Dial					•
Shipping Weight	11 lb/5 kg	11 lb/5 kg	11 lb/5 kg	11 lb/5 kg	33 lb/15 kg
UPC Code	809161109504	809161109603	809161109702	809161109801	809161111903
Price / Code	\$465 (A)	\$496 (A)	\$465 (A)	\$496 (A)	\$1,491 (A)

HANGING DIAL SCALES

Model	MCS-20H	MCS-20DH	MCS-40H	MCS-40DH	MCS-60H	MCS-60M	MCS-10KGH
Capacity	20 lb	20 lb	40 lb	40 lb	60 lb	60 lb	10 kg
Chart	10 lb x 1 oz	10 lb x 1 oz	20 lb x 2 oz	20 lb x 2 oz	30 lb x 1/10 lb	30 lb x 1/10 lb	5 kg x 25 g
Special Feature	4 in / 10 cm S-hook	4 in / 10 cm S-hook	4 in / 10 cm S-hook	4 in / 10 cm S-hook	4 in / 10 cm S-hook	Adjustable pointer / S-hook	4 in / 10 cm S-hook
Double Dial		•		•			
Shipping Weight	4 lb/1.8 kg	4 lb/1.8 kg	4 lb/1.8 kg	4 lb/1.8 kg	4 lb/1.8 kg	4 lb/1.8 kg	4 lb/1.8 kg
UPC Code	809161111101	809161130607	809161111200	809161130706	809161109900	809161110005	809161111309
Price / Code	\$266 (A)	\$308 (A)	\$326 (A)	\$369 (A)	\$488 (A)	\$483 (A)	\$266 (A)

Dial Size: 8 in / 20 cm diameter - 2 revolutions

HANGING DIAL SCALES

Model	MCS-10KGDH	MCS-20KGH	MCS-20KGDH	MCS-20P	MCS-20DP	MCS-40P	MCS-40DP
Capacity	10 kg	20 kg	20 kg	20 lb	20 lb	40 lb	40 lb
Chart	5 kg x 25 g	10 kg x 50 g	10 kg x 50 g	10 lb x 1 oz	10 lb x 1 oz	20 lb x 2 oz	20 lb x 2 oz
Special Feature	4 in / 10 cm S-hook	4 in / 10 cm S-hook	4 in / 10 cm S-hook	Galvanized scoop	Galvanized scoop	Galvanized scoop	Galvanized scoop
Double Dial	•		•		•		•
Shipping Weight	4 lb/1.8 kg	4 lb/1.8 kg	4 lb/1.8 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg
UPC Code	809161130805	809161111408	809161130904	809161110104	809161129403	809161110203	809161129502
Price / Code	\$308 (A)	\$322 (A)	\$365 (A)	\$301 (A)	\$341 (A)	\$352 (A)	\$394 (A)

Dial Size: 8 in / 20 cm diameter - 2 revolutions

HANGING DIAL SCALES

Model	MCS-10KGP	MCS-10KGD	MCS-20KGP	MCS-20KGD	MCS-20F	MCS-20DF	MCS-40F
Capacity	10 kg	10 kg	20 kg	20 kg	20 lb	20 lb	40 lb
Chart	5 kg x 25 g	5 kg x 25 g	10 kg x 50 g	10 kg x 50 g	10 lb x 1 oz	10 lb x 1 oz	20 lb x 2 oz
Special Feature	Galvanized scoop	Galvanized scoop	Galvanized scoop	Galvanized scoop	Stainless steel pan and bow	Stainless steel pan and bow	Stainless steel pan and bow
Double Dial		•		•		•	
Shipping Weight	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	5 lb/2.3 kg	6 lb/2.7 kg	6 lb/2.7 kg	6 lb/2.7 kg
UPC Code	809161110302	809161129601	809161110401	809161129700	809161110500	809161130201	809161110609
Price / Code	\$301 (A)	\$341 (A)	\$352 (A)	\$394 (A)	\$417 (A)	\$459 (A)	\$438 (A)

Dial Size: 8 in / 20 cm diameter - 2 revolutions

HANGING DIAL SCALES / POS SCALE OPTIONS

Model	MCS-40DF	MCS-10KGF	MCS-10KGDF	MCS-20KGF	MCS-20KGDF
Capacity	40 lb	10 kg	10 kg	20 kg	20 kg
Chart	20 lb x 2 oz	5 kg x 25 g	5 kg x 25 g	10 kg x 50 g	10 kg x 50 g
Special Feature	Stainless steel pan and bow	Stainless steel pan and bow	Stainless steel pan and bow	Stainless steel pan and bow	Stainless steel pan and bow
Double Dial	•		•		•
Shipping Weight	6 lb/2.7 kg	6 lb/2.7 kg	6 lb/2.7 kg	6 lb/2.7 kg	6 lb/2.7 kg
UPC Code	809161130300	809161110708	809161130409	809161110807	809161130508
Price / Code	\$479 (A)	\$417 (A)	\$459 (A)	\$438 (A)	\$479 (A)

Dial Size: 8 in / 20 cm diameter - 2 revolutions



Designed for produce weighing, the MCS series American-made hanging dial scales are ideal for a variety of applications. The 8 inch (20-cm) dial is easy to read and protected by a lens while the plastic housing eliminates dents and scratches, thereby enhancing long-term use and accuracy.

For use with foodservice or autopsy hanging scales with a 40-lb capacity or less, the HS-STAND portable scale stand serves as a solid, sturdy support for free-standing weighing.

RETAIL POINT-OF-SALE (POS) / LOGISTICS SCALES

Model	APS8	APS10	APS12	APS160	APS15	APS20	APS30
Capacity	15 lb x .01 lb / 7.5 kg x .005 kg	30 lb x .01 lb / 15 kg x .005 kg	160 oz x .1 oz	160 oz x .1 oz	15 lb x .01 lb / 7.5 kg x .005 kg	30 lb x .01 lb / 15 kg x .005 kg	30 lb x .01 lb / 15 kg x .005 kg
Platform Size	6 x 10 in / 15 x 25 cm	6 x 10 in / 15 x 25 cm	6 x 10 in / 15 x 25 cm	10 x 10 in / 25 x 25 cm	10 x 10 in / 25 x 25 cm	10 x 10 in / 25 x 25 cm	12 x 14 in / 31 x 36 cm
Power	100-240 VAC 50/60Hz 12 VDC 1A wall plug-in UL/CSA listed AC power adapter included (Cardinal part no. 6800-1045)						
Shipping Weight	10 lb/4.5 kg	10 lb/4.5 kg	10 lb/4.5 kg	12 lb/5.4 kg	12 lb/5.4 kg	12 lb/5.4 kg	15.4 lb/7 kg
UPC Code	809161193107	809161191202	809161193206	809161191301	809161191400	809161193305	809161191509
Price / Code	\$758 (C)	\$758 (C)	\$758 (C)	\$769 (C)	\$769 (C)	\$769 (C)	\$798 (C)

RETAIL POINT-OF-SALE (POS) / LOGISTICS SCALES AND OPTIONAL ACCESSORIES

Model	APS70	APS150	APS250	APSWIFI	APSRD	APSPPOST	6600-2007
Capacity / Description	70 lb x .02 lb / 31 kg x .01 kg	150 lb x .05 lb / 60 kg x .02 kg	250 lb x .1 lb / 113 kg x .05 kg	APS Wi-Fi wireless option (60 ft. range)	APS remote display, 6 ft. cable, mounting bracket, and Velcro strip	APS remote display tower (14 in / 35.5 cm high)	7 ft. extension cable for APS display
Platform Size	12 x 14 in / 31 x 36 cm	12 x 14 in / 31 x 36 cm	18 x 18 in / 46 x 46 cm				
Power / Construction	100-240 VAC 50/60Hz 12 VDC 1A wall plug-in UL/CSA listed AC power adapter included (Cardinal part no. 6800-1045)			ABS plastic	ABS plastic	Mild steel	
Shipping Weight	26 lb/11.8 kg	33 lb/15 kg	55 lb/25 kg	1 lb/.5 kg	1 lb/.5 kg	4 lb/1.8 kg	1 lb / .5 kg
UPC Code	809161191608	809161191707	809161191806	809161192100	809161192308	809161192407	809161193404
Price / Code	\$815 (C)	\$881 (C)	\$1,439 (C)	\$349 (C)	\$137 (C)	\$64 (C)	\$41.25 (C)

APS BALL TOP TRANSFERS / LOGISTICS SCALES AND OPTIONAL ACCESSORIES

Model	APSPB	BT1214	BT1818	AS-420D
Description / Capacity	Mountable audible tare button for APS series PoS scales	Ball top transfer for 12 x 14 in / 31 x 36 cm APS platforms	Ball top transfer for 18 x 18 in / 46 x 46 cm APS platforms	200 lb x .1 lb 24 x 24 in / 61 x 61 cm platform
Construction		Stainless steel	Stainless steel	Stainless steel
Shipping Weight	1 lb/.5 kg	9 lb/4 kg	12 lb/5.4 kg	62 lb/28.1 kg
UPC Code	809161194104	809161170009	809161170108	809161160901
Price / Code	\$119 (C)	\$346 (C)	\$477 (C)	\$2,420 (C)





Admiral bench scales feature washdown protection and ColorZONE checkweighing.



Detecto CA8-30-190

ADMIRAL WASHDOWN BENCH SCALES

Model	CA8-15KG-190	CA8-30-190	CA12-60KG-190	CA12-120-190
Capacity	15 kg x .001 kg	30 lb x .002 lb	60 kg x .02 kg	120 lb x 0.05 lb
Platform Size	8 W x 8 D in / 20 W x 20 D cm	8 W x 8 D in / 20 W x 20 D cm	12 W x 12 D in / 30 W x 30 D cm	12 W x 12 D in / 30 W x 30 D cm
Power	100 to 240 VAC (50/60 Hz) at 0.4A Max. power cord (included) or rechargeable batteries (not included)			
Shipping Weight	29 lb/13.2 kg	29 lb/13.2 kg	41 lb/18.6 kg	41 lb/18.6 kg
UPC Code	809161185201	809161185300	809161185409	809161185508
Price / Code	\$1,310 (C)	\$1,310 (C)	\$1,384 (C)	\$1,384 (C)

STAINLESS STEEL SPLASHPROOF BENCH SCALES

Model	EB-15-190	EB-15-204	EB-15-205	EB-15-210	EB-30-190	EB-30-204	EB-30-205
Capacity	15 lb x .005 lb / 6 kg x .002 kg	15 lb x .005 lb / 6 kg x .002 kg	15 lb x .005 lb / 6 kg x .002 kg	15 lb x .005 lb / 6 kg x .002 kg	30 lb x .01 lb / 15 kg x .005 kg	30 lb x .01 lb / 15 kg x .005 kg	30 lb x .01 lb / 15 kg x .005 kg
Platform Size	10 W x 12 D in / 25 W x 30 D cm	10 W x 12 D in / 25 W x 30 D cm	10 W x 12 D in / 25 W x 30 D cm	10 W x 12 D in / 25 W x 30 D cm	10 W x 12 D in / 25 W x 30 D cm	10 W x 12 D in / 25 W x 30 D cm	10 W x 12 D in / 25 W x 30 D cm
Power	110 VAC power cord (included) or 2 AA rechargeable batteries (not included) or optional DC	110 VAC power cord (included) or 6 C rechargeable batteries (not included)	110 VAC power cord (included)	110 VAC power cord (included)	110 VAC power cord (included) or 2 AA rechargeable batteries (not included) or optional DC	110 VAC power cord (included) or 6 C rechargeable batteries (not included)	110 VAC power cord (included)
Shipping Weight	30 lb/13.6 kg	28 lb/12.7 kg	30 lb/13.6 kg	30 lb/13.6 kg	30 lb/13.6 kg	28 lb/12.7 kg	30 lb/13.6 kg
UPC Code	809161184709	809161123609	809161124101	809161124606	809161184808	809161123708	809161124200
Price / Code	\$1,051 (C)	\$945 (C)	\$1,042 (C)	\$1,238 (C)	\$1,051 (C)	\$945 (C)	\$1,042 (C)

STAINLESS STEEL SPLASHPROOF BENCH SCALES

Model	EB-30-210	EB-60-190	EB-60-204	EB-60-205	EB-60-210	EB-150-190	EB-150-204
Capacity	30 lb x .01 lb / 15 kg x .005 kg	60 lb x .02 lb / 30 kg x .01 kg	60 lb x .02 lb / 30 kg x .01 kg	60 lb x .02 lb / 30 kg x .01 kg	60 lb x .02 lb / 30 kg x .01 kg	150 lb x .05 lb / 60 kg x .02 kg	150 lb x .05 lb / 60 kg x .02 kg
Platform Size	10 W x 12 D in / 25 W x 30 D cm	14 W x 16 D in / 36 W x 41 D cm	14 W x 16 D in / 36 W x 41 D cm	14 W x 16 D in / 36 W x 41 D cm	14 W x 16 D in / 36 W x 41 D cm	14 W x 16 D in / 36 W x 41 D cm	14 W x 16 D in / 36 W x 41 D cm
Power	110 VAC power cord (included)	110 VAC power cord (included) or 2 AA recharge- able batteries (not included) or optional DC	110 VAC power cord (included) or 6 C rechargeable batteries (not included)	110 VAC power cord (included)	110 VAC power cord (included)	110 VAC power cord (included) or 6 C rechargeable batteries (not included)	110 VAC power cord (included) or 6 C rechargeable batteries (not included)
Shipping Weight	30 lb/13.6 kg	45 lb/20.4 kg	43 lb/19.5 kg	45 lb/20.4 kg	45 lb/20.4 kg	45 lb/20.4 kg	43 lb/19.5 kg
UPC Code	809161124705	809161184907	809161123807	809161124309	809161124804	809161185003	809161123906
Price / Code	\$1,238 (C)	\$1,167 (C)	\$1,069 (C)	\$1,163 (C)	\$1,359 (C)	\$1,167 (C)	\$1,069 (C)


STAINLESS STEEL SPLASHPROOF BENCH SCALES

Model	EB-150-205	EB-150-210	EB-300-190	EB-300-204	EB-300-205	EB-300-210
Capacity	150 lb x .05 lb / 60 kg x .02 kg	150 lb x .05 lb / 60 kg x .02 kg	300 lb x .1 lb / 150 kg x .05 kg	300 lb x .1 lb / 150 kg x .05 kg	300 lb x .1 lb / 150 kg x .05 kg	300 lb x .1 lb / 150 kg x .05 kg
Platform Size	14 W x 16 D in / 36 W x 41 D cm	14 W x 16 D in / 36 W x 41 D cm	24 W x 20 D in / 61 W x 51 D cm	24 W x 20 D in / 61 W x 51 D cm	24 W x 20 D in / 61 W x 51 D cm	24 W x 20 D in / 61 W x 51 D cm
Power	110 VAC power cord (included)	110 VAC power cord (included)	110 VAC power cord (included) or 2 AA recharge- able batteries (not included) or optional DC	110 VAC power cord (included) or 6 C rechargeable batteries (not included)	110 VAC power cord (included)	110 VAC power cord (included)
Shipping Weight	45 lb/20.4 kg	45 lb/20.4 kg	79 lb/35.8 kg	77 lb/35 kg	79 lb/35.8 kg	79 lb/35.8 kg
UPC Code	809161124408	809161124903	809161185102	809161124002	809161124507	809161125009
Price / Code	\$1,163 (C)	\$1,359 (C)	\$1,840 (C)	\$1,764 (C)	\$1,861 (C)	\$2,054 (C)



Featuring industry-leading digital weight indicators and manufactured from the highest-quality materials, Detecto's USA-made bench scales provide the most accurate weight readings possible. Each digital bench scale features a sturdy base and easy-to-read display that simplifies the weighing process. Detecto's bench scales featuring the 190 STORM indicator use the unique ColorZONE checkweighing process to help operators track acceptable weight ranges visually by color. Each of Detecto's digital bench scales connects to remote displays, PCs, or label and ticket printers for operator convenience.

PORTABLE DIGITAL SCALES AND CARRYING CASE



Model	DR150	DR400	DR400C-CASE
Capacity	150 lb x .2 lb / 68 kg x .1 kg	400 lb x .5 lb / 181 kg x .2 kg	Carrying case for DR series
Platform Size	12.2 x 11.8 in / 31 x 30 cm		
Power	6 AA batteries (not included) or AC adapter (included)		
Shipping Weight	12 lb/5.4 kg	12 lb/5.4 kg	5 lb/2.3 kg
UPC Code	809161130003	809161130102	809161137200
Price / Code	\$288 (A)	\$346 (A)	\$85 (A)

DIGITAL COUNTING SCALES










Model	C6	C30	C65
Capacity	6 lb x .0005 lb / 3 kg x .2 g	30 lb x .002 lb / 15 kg x 1 g	65 lb x .005 lb / 30 kg x 2 g
Platform Size	11.38 x 8.25 in / 29 x 21 cm		
Power	Rechargeable built-in battery pack and AC power cord (included)		
Shipping Weight	12 lb/5.4 kg	12 lb/5.4 kg	12 lb/5.4 kg
UPC Code	809161193909	809161193701	809161193800
Price / Code	\$440 (C)	\$440 (C)	\$440 (C)

DIGITAL COUNTING SCALES










Model	2240-5	2240-10	2240-20	2240-50	2240-100
Capacity	5 lb x .0005 lb / 2 kg x .0002 kg	10 lb x .001 lb / 4.54 kg x .0005 kg	20 lb x .002 lb / 10 kg x .001 kg	50 lb x .005 lb / 20 kg x .002 kg	100 lb x .01 lb / 45.4 kg x .005 kg
Platform Size	14.5 x 8.25 in / 37 x 21 cm				
Power	AC power cord (included)				
Shipping Weight	21 lb/9.5 kg	21 lb/9.5 kg	21 lb/9.5 kg	21 lb/9.5 kg	21 lb/9.5 kg
UPC Code	809161160406	809161160109	809161160307	809161160505	809161160208
Price / Code	\$1,483 (C)	\$1,483 (C)	\$1,483 (C)	\$1,483 (C)	\$1,483 (C)





PORTABLE DIGITAL FLOOR SCALES

							
Model	5852F-204	5852F-205	5852F-210	5852F-190	8852F-204	8852F-205	8852F-190
Capacity	500 lb x .2 lb / 220 kg x .1 kg	500 lb x .2 lb / 220 kg x .1 kg	500 lb x .2 lb / 220 kg x .1 kg	500 lb x .2 lb / 220 kg x .1 kg	1,000 lb x .5 lb / 440 kg x .2 kg	1,000 lb x .5 lb / 440 kg x .2 kg	1,000 lb x .5 lb / 440 kg x .2 kg
Platform Size	19 x 28 in / 48 x 71 cm						
Power	110 VAC power cord (included) or 6 C rechargeable batteries (not included)	110 VAC power cord (included)	110 VAC power cord (included)	110 VAC power cord (included) or 2 AA rechargeable batteries (not included) or optional DC	110 VAC power cord (included) or 6 C rechargeable batteries (not included)	110 VAC power cord (included)	110 VAC power cord (included) or 2 AA rechargeable batteries (not included) or optional DC
Shipping Weight	108 lb/49 kg	108 lb/49 kg	108 lb/49 kg	108 lb/49 kg	108 lb/49 kg	108 lb/49 kg	108 lb/49 kg
UPC Code	809161123005	809161150605	809161122800	809161191905	809161123104	809161150704	809161192001
Price / Code	\$1,711 (C)	\$1,883 (C)	\$2,078 (C)	\$1,893 (C)	\$1,711 (C)	\$1,883 (C)	\$1,893 (C)

PORTABLE MECHANICAL FLOOR SCALES

							
Model	854F100P	854F50P	854F50K	854F50PK	854F100PK	954F100P	954F50K
Capacity	1,000 lb	500 lb	500 kg	500 lb / 200 kg	1,000 lb / 500 kg	2,000 lb	1,000 kg
Front of Beam	100 lb x .5 lb	50 lb x .25 lb	50 kg x .25 kg	20 kg x 100 g	50 kg x .25 kg	100 lb x .5 lb	50 kg x .25 kg
Back of Beam	100 lb x .5 lb	50 lb x .25 lb	50 kg x .25 kg	50 lb x .25 lb	100 lb x .5 lb	100 lb x .5 lb	50 kg x .25 kg
Platform Size	19 x 28 in / 48 x 71 cm					28 x 28 in / 71 x 71 cm	
Shipping Weight	132 lb/60 kg	132 lb/60 kg	132 lb/60 kg	132 lb/60 kg	132 lb/60 kg	206 lb/93.4 kg	206 lb/93.4 kg
UPC Code	809161114201	809161114300	809161114409	809161114508	809161114607	809161114003	809161114102
Price / Code	\$912 (C)	\$946 (C)	\$912 (C)	\$1,183 (C)	\$1,141 (C)	\$1,639 (B)	\$1,639 (B)

BENCH SCALES


				
Model	7045G	4570	4520	4527PK
Capacity	400 lb x .2 lb / 180 kg x .1 kg	130 lb (10 lb x 1 oz - 120 lb x 10 lb)	350 lb (50 lb x 4 oz - 300 lb x 50 lb)	350 lb / 160 kg (50 lb x 4 oz / 20 kg x 100 g - 300 lb x 50 lb / 140 kg x 20 kg)
Power	110 VAC power cord (included) or 6 C rechargeable batteries (not included)	Mechanical	Mechanical	Mechanical
Shipping Weight	42 lb/19 kg	46 lb/20.9 kg	46 lb/20.9 kg	46 lb/20.9 kg
UPC Code	809161116205	809161115901	809161116007	809161162103
Price / Code	\$1,000 (ANF)	\$661 (ANF)	\$658 (ANF)	\$710 (ANF)

FLOOR SCALES AND WEIGHT INDICATORS COMBINATION



Model	FH-533F-204	FH-544F-204	FH-555F-204	FH-544F-180	FH-500E	FH-501E	FH-502E
Capacity / Description	5,000 lb x 1 lb / 2,268 kg x .05 kg				Ramp for FH-533F	Ramp for FH-544F	Ramp for FH-555F
Dimensions	3 x 3 ft / .9 x .9 m	4 x 4 ft / 1.2 x 1.2 m	5 x 5 ft / 1.5 x 1.5 m	4 x 4 ft / 1.2 x 1.2 m	36 in / 91 cm ramp	48 in / 122 cm ramp	60 in / 152 cm ramp
Includes Weight Indicator	Model 204	Model 204	Model 204	Model 180			
Power	110 VAC power cord (included)			AC adapter model 6800-1045 (included)			
Shipping Weight	189 lb/85.7 kg	220 lb/99.7 kg	439 lb/199.1 kg	220 lb/99.7 kg	90 lb/40.8 kg	153 lb/69.4 kg	218 lb/98.8 kg
UPC Code	809161180909	809161181005	809161181104	809161182408	809161150803	809161150902	809161160000
Price / Code	\$1,821 (C)	\$1,821 (C)	\$2,349 (C)	\$1,675 (C)	\$449 (C)	\$609 (C)	\$767 (C)

RUN-A-WEIGH PORTABLE SCALES



Model	RW-500	RW-1000	RW-1000S
Capacity / Description	500 lb x .2 lb / 225 kg x .1 kg	1,000 lb x .5 lb / 450 kg x .2 kg	1,000 lb x .5 lb / 450 kg x .2 kg
Platform Size	24.5 x 30 in / 62 x 76 cm (inside platform)		
Material	Mild steel	Mild steel	Stainless steel
Power	110 VAC power cord (included) or 6 C cell alkaline or rechargeable Ni-Cad batteries (not included)		110 VAC power cord (included) or 2 AA rechargeable batteries (not included)
Shipping Weight	105 lb/47.6 kg	105 lb/47.6 kg	105 lb/47.6 kg
UPC Code	809161186901	809161134209	809161180305
Price / Code	\$1,675 (C)	\$1,890 (C)	\$3,377 (C)

MAIL SCALE



Model	MSB-25
Capacity / Description	25 lb x .005 lb or .1 oz
Platform Size	17.5 x 15 in / 44 x 38 cm
Material	Stainless Steel
Power	110 VAC power cord (included)
Shipping Weight	28 lb/12.7 kg
UPC Code	809161170801
Price / Code	\$2,066 (C)