

Medical / Health and Veterinary Scales



January 2013



*Avery Weigh-Tronix facility in Fairmont, MN (left)
and Birmingham, England (below) and
Montreal, Canada (bottom)*

250 YEARS OF HISTORY

Brecknell, part of Avery Weigh-Tronix, a proud member of the Illinois Tool Works (ITW) company, celebrated 250 years of customer commitment and history in 2011. Founded in 1761, under Salter Brecknell, Brecknell has grown to become a global leader in weighing solutions. Brecknell products are designed and constructed with focus on high-value solutions and accuracy for easy operation for all your weighing applications.

Today Brecknell products can be found in most weighing applications. The Brecknell global footprint and reach allows Brecknell to offer the highest quality of service and support to our global customers.



Contact Information

Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
dawright@standardscale.com
www.standardscale.com

Table of Contents

Physician Scales

HS-200M	5
HS-300	5
MS140-300	6
HS-250U	6
HS-250	7

Chair Scales

CS-200M	8
CS-250	8

Bariatric/Handrail Scales

MS-1000	9
---------	---

Wheel Rollator

WR-1	9
------	---

Pediatric Scales

SuperSamson	10
235-6S	10
ElectroSamson	11
MS-50M	12
MS-15	12
MS-20	13
MS-25	13
MS-30	14

Dietary Scales

DS-1	15
LPS-15	15
MBS Series	16

Body Fat/Bathroom Scales

BFS-150	17
BS-180	17

Veterinary Scales

MS-50M	18
MS-15	18
MS20S	19
ElectroSamson	19
Vet Deck	20
PS500	20
PS1000/PS2000	21
PS3000	22

Printers

CP130	23
LP-250	24
LP-250W	25
LP-470	26

Merchandise

Travel Mug	27
Cap	27
Long Sleeved Shirt	27
Polo Shirt	27
Varsity Jacket	27



Physician Scales

HS-200M

The HS-200M is a mechanical device for use where either weight or height measurements are needed. The scale provides height measurements on easy-to-read linear beams in bold dual markings. It has a large weighing range and can measure height from 60 cm to 210 cm (24" to 84").

Constructed of steel with a durable white finish, this scale will provide years of service in normal applications.

Each scale comes with rollers for easy transport. Some assembly required. Height measurement is included with both meter/centimeters and feet/inches.

Rod Height	Platform Dimension	Overall Dimension
60 cm to 210 cm x 0.1 cm 2' to 7' x 0.125"	375 mm (L) x 275 mm (W) 14.75" L x 10.8" W	559 mm (L) x 275 mm (W) x 1485 mm (H) 22" L x 10.8" W x 58.5" H

Part Number	Capacity	Ship Weight
816965004850	200 kg x 100 g / 440 lb x 4 oz	43 lb



HS-300



The HS-300 is an electronic device to use where either weight or height measurements are necessary. The scale provides accurate weight with easy-to-read LCD display with retractable aluminum height rod. It has a large weighing range and can measure height from 60 cm to 210 cm (24" x 84").

Powder coated mild steel weighing platform and handrail, 4 load cells with hold function, auto-off, tare and low battery. Operates on four AAA batteries or US AC adapter (both included).

Each scale has underside adjustable feet and comes with rollers for easy transport.

Rod Height	Handrail Height	Platform Dimension
60 cm to 210 cm 2' to 7'	406 mm (W) x 1245 mm (H) 16" W x 49" H	521 mm (L) x 521 mm (W) 20.5" L x 20.5" W

Part Number	Capacity	Ship Weight
816965004812	300 kg x 0.1 kg / 660 lb x 0.2 lb	47 lb
Options		
816965002887	UK power adapter	
816965002870	EU power adapter	



VALUE IN
WEIGHING

To order call 313-255-6700 or email dawright@standardscale.com

MS140-300



Simplicity of design and rugged construction are the key features of the MS140-300 portable medical scale. Featuring a 520 mm x 520 mm / 20.5" x 20.5", low-profile (64 mm / 2.5" high) platform with sturdy handrails and padded grips, the MS140-300 digital scale was designed to be the perfect choice for clinics, health clubs, or even home use. This medical scale has the ability to print weight data offering a real time saving device for doctor's offices, long term care facilities, and other medical institutions.

Heavy-duty, yet lightweight and portable, this scale is suitable for almost any application requiring accuracy and medium to heavy weight capacity. The repeatability is unbeatable and will offer years of continued usage. It comes with an easy-to-read LCD display and operates on four AAA batteries or US AC adapter (both included). This medical scale is durable and reliable at an affordable price.

Platform Dimension

520 mm (L) 520 mm (W) 1135 mm (H)
20.5" L x 20.5" W x 44.25" H

Part Number	Capacity	Ship Weight
816965004829	300 kg x 0.1 kg / 660 lb x 0.2 lb	55 lb
Options		
816965002887	UK power adapter	
816965002870	EU power adapter	



HS-250

This electronic device is a weight and height measurement scale. The scale provides accurate weight with easy-to-read LCD display with white LED backlight and operates on AC power. It has a large weighing range and can measure height from 70 cm to 200 cm (2' to 6'5").

Powder coated mild steel weighing platform with rubber mat on the surface. Each scale has underside adjustable feet and comes with rollers for easy transport.

Platform Dimension

370 mm (L) x 370 mm (W)
14" L x 14" W

Overall Dimension

370 mm (L) x 370 mm (W) x 1010 mm (H)
14" L x 14" W x 39" H

Part Number	Capacity	Ship Weight
816965004942	250 kg x 0.1 kg / 550 lb x 0.2 lb	47 lb



VALUE IN
WEIGHING

To order call 313-255-6700 or email dawright@standardscale.com

Chair Scales

CS-200M

This mechanical chair scale was designed for weighing those who have difficulty standing on their own. The die-cast easy-to-read beam runs along the back of the chair.

Powder coated steel construction. The chair is oversized for comfort with arm and footrests that lift away for easy access.

The rear wheels lock for safety and the front wheels swivel for easy portability along with easy-to-clean plastic seat.

Seat Dimension

457 mm (W) x 432 mm (D) x 457 mm (H)
18" W x 17" D x 18" H

Overall Dimension

635 mm (L) x 889 mm (W) x 1016 mm (H)
25" L x 35" W x 40" H

Part Number	Capacity	Ship Weight
816965004843	200 kg x 0.1 kg / 440 lb x 0.2 lb	55 lb



CS-250

This electronic chair scale was designed for weighing those who have difficulty standing on their own. The scale provides accurate weight with easy-to-read LCD display with white LED backlight and operates on internal battery and AC adapter (included).

The chair is ergonomically optimized for comfort and safety with footrest that lift away for easy access.

The rear wheels lock for safety and the front wheels swivel for easy portability with easy-to-clean plastic seat.

Seat Dimension

600 mm (L) x 850 mm (W) x 960 mm (H)
23" L x 33" W x 37" H

Part Number	Capacity	Ship Weight
816965004959	250 kg x 0.1 g / 550 lb x 0.2 lb	50 lb



MS-1000

This electronic chair scale was designed for either walking on or being wheeled on to be weighed. The stainless steel handrail provides support for those that are unsteady on their feet. The scale provides accurate weight with easy-to-read bright 0.8" LED display for easy visibility, weight hold feature and wall or desk mount bracket included for display. Operates on internal battery or US/UK/EU AC adapter (included).

Powder coated rugged steel with smooth top plate surface with four 1000 ohm load cells. Two handles and wheels to easily relocate with adjustable foot pads to work effectively on uneven floors. Built-in ramp ends for recessed floors.

Guard Rail Dimension

860 mm (L) x 700 mm (H)
33.85" L x 27.6" H

Platform Dimension

800 mm (L) x 800 mm (W) x 46 mm (H)
31.5" L x 31.5" W x 1.8" H

Overall Dimension

1050 mm (L) x 1050 mm (W)
41.3" L x 41.3" W

Indicator Dimension

133 mm (L) x 247 mm (W) x 165 mm (H)
5.25" L x 9.75" W x 6.5" H

Part Number	Capacity	Ship Weight
816965004805	500 kg x 0.2 kg / 1,000 lb x 0.5 lb	185 lb



Wheel Rollator

WR-1

The WR-1 wheel rollator was designed to assist those who have difficulty walking on their own. The four 6" caster wheels are great for indoor or outdoor use.

The lightweight aluminum frame is easily transported. The padded seat flips up to fold in half for storage. Adjustable handlebars from 35" to 39" with ergonomic hand brakes that lock the rear wheels. The backrest is easily removed and includes a removable basket.

Product Dimension

620 mm (D) x 600 mm (W) x 810-920 mm (H)
25" D x 24" W x 32-36" H

Seat Dimension

349 mm (W) x 317 mm (D)
13.75" W x 12.5" D

Seat to Floor Dimension

625 mm (H) / 24.6" H

Part Number	Capacity	Ship Weight
816965005116	136 kg / 300 lb	28 lb



Pediatric Scales

SuperSamson

The SuperSamson is a hand held portable spring balance baby weigher. Durable and robust, housed in a tough ABS plastic housing with corrosion protected top hook and bottom hook. Dual marked.

Part Number	Capacity	Ship Weight
SABN11200010000	10 kg x 0.01 kg / 22 lb x 0.02 lb/¼ oz	2 lb
Options		
G0006	Baby sling	



Model 235-6S

This Brecknell Salter branded mechanical baby scale is suitable for home or clinic use, perfect for doctors and nurses working in remote locations.

This easy to operate suspended baby scale is lightweight and portable. Dual marked representing both pounds and kilograms. Is housed in a tough ABS plastic case with a shatterproof polycarbonate dial cover and corrosion-resistant internal parts. This kit includes the scale, stainless steel hooks, two sets of trouser slings and a carry bag.

Part Number	Capacity	Ship Weight
MSKN12208500000	25 kg x 100 g / 56 lb x 4 oz	4 lb
Options		
Z1538	Baby Trouser	



To order call 313-255-6700 or email dawright@standardscale.com

Pediatric Scales

ElectroSamson

The ElectroSamson is a battery powered hand held electronic digital display balance. Complete with scale, weighing hook, metal or plastic handhold bar, battery and padded carrying pouch with belt clip.

Constructed of tough ABS plastic. Large easy-to-read LCD display. Operates on one 9V battery (included).

Part Number (US)	Part Number (UK)	Capacity	Ship Weight
816965000586	SA3N25300013000	10 kg x 0.01 kg / 22 lb x 0.02 lb/¼ oz	3 lb
816965000593	SA3N27100013000	25 kg x 0.02 kg / 55 lb x 0.05 lb/½ oz	3 lb
816965000609	SA3N12200013000	45 kg x 0.05 kg / 99 lb x 0.1 lb/2 oz	3 lb
Options			
G0006	Baby sling		



Shown with optional baby sling



Pediatric Scales

MS-50M

This mechanical scale provides accurate weight measurements on die cast, easy-to-read beam display with dual markings.

Powder coated steel construction with easy-to-clean ABS plastic weighing tray. The weighing tray is removeable to weigh toddlers. Heavy steel base and precision lever system.

Tray Dimension

567 mm (L) x 273 mm (W)
22" L x 11" W

Scale Dimension

533 mm (L) x 279 mm (W) x 762 mm (H)
21" L x 11" W x 30" H

Part Number	Capacity	Ship Weight
816965004836	62 kg x 20 g / 135 lb x 1 oz	32 lb



MS-15

The MS-15 digital baby scale provides accurate weight measurements.

The LCD display has blue backlight. Weighing in kg and lb with a hold feature. Operates on four AA batteries (included).

Easy-to-clean plastic weighing tray. The weighing tray is removeable to weigh toddlers.

Tray Dimension

578 mm (L) x 292 mm (W)
23" L x 11" W

Scale Dimension

578 mm (L) x 334 mm (W)
23" L x 13" W

Part Number	Capacity	Ship Weight
816965005123	20 kg x 5g / 44 lb x 0.005 lb	9 lb



VALUE IN
WEIGHING

To order call 313-255-6700 or email dawright@standardscale.com

Pediatric Scales

MS20

The MS20 scale is particularly suited to the medical industry. With a capacity of 20 kg (44 lb) and readability of 1/2 oz (10 g) and easy-to-read LCD display, the MS20 will accurately weigh infants.

The scale has a "hold" feature that will capture an unstable weight and keep it on the display for recording after the weight is taken off. Operates on one 9V battery (not included) or AC adapter (included).

Easy-to-clean plastic weighing tray.

Tray Dimension

533 mm (L) x 254 mm (W) x 51 mm (H)

21" L x 10" W x 2" H

Part Number	Capacity	Ship Weight
816965000852	20 kg x 10 g / 44 lb x 0.5 oz	9 lb



MS-25

The MS-25 versatile digital baby scale weighs infants with a removable tray that converts into a low profile step-on scale to weigh toddlers up to 20 kg (44 lb).

LCD display with hold feature. Operates on four AA batteries (not included).

Easy-to-clean plastic weighing tray.

Tray Dimension

584 mm (L) x 229 mm (W)

23" L x 9" W

Platform Dimension

584 mm (L) x 330 mm (W) x 152 mm (H)

23" L x 13" x W x 6" H

Part Number	Capacity	Ship Weight
816965004997	20 kg x 5 g / 44 lb x 0.005 lb	6.5 lb



MS-30

The MS-30 digital baby scale provides weight and height measurements. Dual capacity with LED backlight, large and visible LCD display with a hold feature. Drinking function to compute the drinking weight. Hold function to capture unstable weight.

Operates on internal battery or US AC adapter (both included).

Easy-to-clean plastic weighing tray.

Tray Dimension

600 mm (L) x 250 mm (W)
23" L x 9" W

Base Dimension

580 mm (L) x 260 mm (W) x 50 mm (H)
22" L x 10" W x 2" H

Part Number	Capacity	Ship Weight
816965004973	Dual 6 kg/15 kg x 2 g/5 g (13 lb/33 lb x 0.07 oz/0.17 oz)	15 lb



Dietary Scales

DS-1

The DS-1 accurately measures portion size. Provides nutrition value for up to 400 food items. Easy to look-up food items and store 99 diet memory mode to cumulate different dietary values.

LCD display with auto-off feature. Operates on 9V battery (not included).

Scale Dimension

178 mm (L) x 229 mm (W) X 51 mm (H)
7" L x 9" W x 2" H



Part Number	Capacity	Ship Weight
816965004782	5000 g x 1 g	1 lb

LPS-15



The LPS-15 is the perfect scale when portion control is required. This scale is great for use in food operations to build consistent products and help control ingredient costs. This economic scale is perfect for use in clinics, hospitals and weight loss centers.

LCD display with blue backlight and RS-232. The display can be wall or stand mounted for easy visibility. Operates on four AAA batteries or US AC adapter (both included).

Platform Dimension

380 mm (L) x 305 mm (W) x 27 mm (H)
15" L x 12" W x 1" H

Part Number	Capacity	Ship Weight
816965004799	15 kg x 0.005 kg /30 lb x 0.01 lb/0.2 oz	11 lb
Options		
816965000951	Foot switch (<i>not shown</i>)	
816965002887	UK power adapter	
816965002870	EU power adapter	



VALUE IN
WEIGHING

To order call 313-255-6700 or email dawright@standardscale.com

MBS Series



The MBS series is a sensible response to almost any application, in any market sectors requiring an accurate precision weighing solution. This alternative to premium priced analytical balances is ideal for general laboratory, industrial and educational applications requiring multiple weighing units with RS-232 standard.

Constructed of robust plastic housing with stainless steel top platter for easy cleaning. Operates on four AA batteries (300 g - 600 g) and six AA batteries (1200 g - 6000 g) (not included) or US AC adapter (included).

Platform Dimension

300 g and 600 g capacities

118 mm (dia)

4.65" (dia)

1200 g to 6000 g capacities

175 mm (L) x 175 mm (W)

6.9" L x 6.9" W



Part Number	Capacity	Ship Weight
816965004881	300 g x 0.005 g	3 lb
816965004898	600 g x 0.01 g	3 lb
816965004904	1200 g x 0.02 g	5.5 lb
816965004911	3000 g x 0.05 g	5.5 lb
816965004928	6000 g x 0.1 g	5.5 lb
Options		
816965002887	UK power adapter	
816965002870	EU power adapter	



VALUE IN
WEIGHING

Body Fat/Bathroom Scales

BFS-150

When monitoring your weight at home, the BFS-150 home health bathroom scale is ideal. Measures in kg, lb or st. 12-user memories and 1 guest memory. 3 modes of measurement with calorie measurement and BMI calculation.

Platform is constructed of easy-to-clean tempered glass with LCD display. Operates on four AA batteries (not included).

Platform Dimension

318 mm (L) x 349 mm (W) x 38 mm (H)

12.5" L x 13.75" W x 1.5" H

Part Number	Capacity	Ship Weight
816965000005	180 kg / 396 lb / 28 st (selectable)	6.5 lb

Note: st = stones



BS-180

The BS-180 home health bathroom scale weighs in kg, lb or st. Equipped with high precision "strain-gauge" sensors, plastic platform with safety tempered insert. Ultra slim 20 mm (0.78") thick.

Large viewing LCD display 92 mm x 52 mm / 4" x 2" with blue backlight. Operates on three AA batteries (not included).

Platform Dimension

320 mm (L) x 320 mm (W) x 20 mm (H)

12.5" L x 12.5" x 1"

Part Number	Capacity	Ship Weight
816965005024	180 kg, 396 lb or 28 st (selectable)	4 lb

Note: st = stones



VALUE IN
WEIGHING

To order call 313-255-6700 or email dawright@standardscale.com

MS-50M

This mechanical scale provides accurate weight measurements on die cast, easy-to-read beam display with dual markings.

Powder coated steel construction with easy-to-clean ABS plastic removable weighing tray. Heavy steel base and precision lever system.

Tray Dimension

567 mm (L) x 273 mm (W)
22" L x 11" W

Platform Dimension

533 mm (L) x 279 mm (W) x 762 mm (H)
21" L x 11" W x 30" H

Part Number	Capacity	Ship Weight
816965004836	62 kg x 20 g / 135 lb x 1 oz	32 lb



MS-15



The MS-15 digital scale provides accurate weight measurements.

The LCD display with blue backlight. Standard features kg and lb with a hold feature. Operates on four AA batteries (not included).

Easy-to-clean plastic removeable weighing tray.

Tray Dimension

578 mm (L) x 292 mm (W)
23" L x 11" W

Scale Dimension

578 mm (L) x 334 mm (W)
23" L x 13" W

Part Number	Capacity	Ship Weight
816965005123	20 kg x 5 g / 44 lb x 0.005 lb	9 lb



Veterinary Scales

MS20S



The MS20S scale is particularly suited to the veterinary industry. With a capacity of 44 lb (20 kg) and readability of 1/2 oz (10 g), the MS20S will accurately weigh small animals.

The scale has a "hold" feature that will capture an unstable weight and keep it on the display for recording after the weight is removed. Operates on one 9V battery (not included) or AC adapter (included).

Easy-to-clean stainless steel weighing tray.

Tray Dimension

521 mm (L) x 292 mm (W) x 57 mm (H)

20.5" L x 11.5" W x 2.25" H

Part Number	Capacity	Ship Weight
816965001002	20 kg x 10 g / 44 lb x 0.5 oz	10 lb



ElectroSamson



The ElectroSamson is a battery powered hand held electronic digital display balance. Complete with scale, weighing hook, metal or plastic handhold bar, battery and padded carrying pouch with belt clip.

Constructed of tough ABS plastic. Large easy-to-read LCD display. Operates on one 9V battery (included).

Part Number (US)	Part Number (UK)	Capacity	Ship Weight
816965000586	SA3N25300013000	10 kg x 0.01 kg (22 lb x 0.02 lb/¼ oz)	3 lb
816965000593	SA3N27100013000	25 kg x 0.02 kg (55 lb x 0.05 lb/½ oz)	3 lb
816965000609	SA3N12200013000	45 kg x 0.05 kg (99 lb x 0.1 lb/2 oz)	3 lb



Vet Deck

The Vet Deck is accurate and reliable for weighing small animals.

Carbon steel construction with non-skid surface protecting animals and handlers from accidental slips/falls. Adjustable foot pads allow scale work effectively on uneven floors and easily relocated. No need for ramps or recessed floors.

Adjustable filter settings to reduce environmental vibration noise for rapid setting and quick measurement. Pre-calibrated with SBI-521 indicator with bright LCD/LED display.

Platform Dimension

1270 mm (L) x 508 mm (W) x 44 mm (H)

50" L x 20" W x 1.75" H

Part Number	Capacity	Ship Weight
816965005710	500 kg x 0.1 kg / 1000 lb x 0.2 lb: pre-calibrated with SBI-521 LED	65 lb
816965005734	500 kg x 0.1 kg / 1000 lb x 0.2 lb: pre-calibrated with SBI-521 LCD	65 lb



PS500



The PS500 offers a convenient, compact and portable weighing capability with high capacity. This durable product offers unparalleled weighing performance, with the advantages of low profile and affordability. Standard features include lbs, kg and lb/oz weighing modes, weight hold feature, stable weight indication and auto power off to extend battery life. Operates on four AAA batteries or US AC adapter (both included). Also included is a rubber slip reducing mat, an indicator bracket for stand or wall mounting, and a RS-232 cable. Stainless steel top for easy wipedown. Not for legal trade.

Platform Dimension

559 mm (L) x 559 mm (W) x 51 mm (H)

22" L x 22" W x 2" H

906 mm (L) x 559 mm (W) x 51 mm (H)

36" L x 22" W x 2" H

1067 mm (L) x 559 mm (W) x 51 mm (H)

42" L x 22" W x 2" H

Indicator

164 mm (L) x 81 mm (W) x 29 mm (H)

Indicator Stand Base (optional)

350 mm (L) x 350 mm (W) 19 mm (H)

6.5" L x 1.2" W x 3.2" H

13.8" L x 13.8" W x .75" H

Part Number	Platform Size	Capacity	Ship Weight
816965001903	22"	250 kg x 0.1 kg / 500 lb x 0.2 lb	35 lb
816965001897	36"	250 kg x 0.1 kg / 500 lb x 0.2 lb	57 lb
816965001453	42"	250 kg x 0.1 kg / 500 lb x 0.2 lb	63 lb
Options			
816965002061	Indicator stand		23 lb
816965002887	UK power adapter		
816965002870	EU power adapter		



Shown with optional indicator stand

Veterinary Scales

PS1000/PS2000



AC or battery powered with four load cells. This electronic floor scale is used in veterinary and various industrial applications. Low cost scale with adjustable, non slip feet. Built-in carrying handles and mild steel platform with tread plate top and stainless steel indicator case. 5 m (16') cable between platform and indicator. Key operation features: on/off/zero, tare, units, and hold/print. Operates on four AAA batteries or US AC adapter (both included). Includes desk or wall mount bracket.

Platform Dimension

PS1000

1416 mm (L) x 514 mm (W) x 64 mm (H)
55.75" L x 20.25" W x 2.5" H

PS2000

1498 mm (L) x 762 mm (W) x 64 mm (H)
59" L x 30" W x 2.5" H

Indicator

164 mm (L) x 81 mm (W) x 29 mm (H)
6.5" L x 1.2" W x 3.2" H

Indicator Stand Base (optional)

350 mm (L) x 350 mm (W) 19 mm (H)
13.8" L x 13.8" W x .75" H

Product	Part Number	Capacity	Ship Weight
PS1000	816965001460	500 kg x 0.2 kg / 1000 lb x 0.5 lb	90 lb
PS2000	816965003907	1000 kg x 0.5 kg / 2,000 lb x 1.0 lb	118 lb
Options			
	816965002061	Indicator stand	23 lb
	816965002887	Optional UK power adapter	
	816965002870	Optional EU power adapter	



PS1000



PS2000

Both shown with optional indicator stand

PS3000



Accurate and reliable: 4 load cells are used to accurately weigh horses and other larger animals. Removing the guesswork where treatments or administration of feed needs to be closely monitored. Full size platform for ease of use. Supplied with plywood mounting holes to allow customers to fit their own plywood top to help reduce noise and risk of slipping. Hold function for single user weighing. Easy to use hold feature enables the scale to capture the weight and retain it while you tend to the animal. Battery operation for remote locations. Detachable indicator makes battery charging easy. This allows the indicator to be removed and taken to an AC power outlet for charging. No need to move the entire scale to the power source. Durable design for rigorous applications. This scale will insure years of use even in challenging environments. Includes desk or wall mount bracket.

Platform Dimension

2000 mm (L) x 1000 mm (W) x 100 mm (H)
78.75" L x 39.37" W x 3.93" H

Indicator

164 mm (L) x 81 mm (W) x 29 mm (H)
6.5" L x 1.2" W x 3.2" H

Indicator Stand Base (optional)

350 mm (L) x 350 mm (W) 19 mm (H)
13.8" L x 13.8" W x .75" H

Part Number	Capacity	Ship Weight
816965004379	1,500 kg x 0.5 kg / 3,000 lb x 1 lb	375 lb
Options		
816965002061	Indicator stand	23 lb



PS3000
Shown with optional indicator stand

VALUE IN
WEIGHING

To order call 313-255-6700 or email dawright@standardscale.com

Printers

CP130



The CP130 printer represents the latest in compact printing technology. Despite compact - hand held - size, this printer is packed with features. Unique SINGLE-handed easy paper-load system - no other printer is easier! This 12V through 36VDC printer is ideal for mobile applications but also can be used in an AC application with the aid of an adapter.

Part Number	Ship Weight
AWT05-505591	1 lb

Media

Part Number	Description	Ship Weight
AWT05-505671	Paper rolls; 58 mm (W) x 46 mm (dia) x 22 m (L) / 2" W x 1.8" dia x 72' ; 20 rolls in a box; 5 years durability at correct storage	4 lb

OPTIONS	DESCRIPTION
AWT05-505594	110/230V universal AC adapter
9570-12582	IMP2600 York Chiller mating connector
AWT25-501074	York Chiller to CP130
AWT25-501087	DC power cable (6') bare leads
AWT05-505624	CP130 to DB9 female (6.5' or 2 m) serial configuration cable
AWT25-501076	CP130 to bare leads (6') serial cable
AWT05-506018	Parallel via data cable
AWT05-505594	Global power supply. UL and CE approved power adapters



LP-250



The LP-250 features include an inexpensive internal Ethernet adapter for easy integration into networks and an optional keyboard for printing labels in stand-alone or down-time situations. Designed with no losable parts, the compact printer fits into tight spaces and supports a wide range of applications. It also features a user-friendly clamshell design that allows users to simply open the cover and drop labels into a spring-loaded 127 mm (5") OD media bay. With enhanced electronics, this printer offers a 200 MHz processor, standard memory of 4 MB Flash, 8 MB SDRAM and a MicroSD expansion slot that increases Flash storage up to 4 GB. 110/220V power cord (included).

Part Number	
AWT05-505652	
Options	
70611-847	UK power cord
70611-850	EU power cord

Media	Description
48654-0115	25 mm / 1" core DTL case; 6 rolls; 30 mm x 22 mm / 1.2" x .85"; 2710 labels per roll
48654-0123	25 mm / 1" core DTL case; 6 rolls; 57 mm x 102 mm / 2.25" x 4"; 700 labels per roll
	Additional media (consult factory)



Printers

LP-250W



The LP-250W wristband label printer is custom-designed for patient ID and entertainment ticketing. The printer, which can be wall-mounted, features an LCD printer-status display and offers USB 2.0 and Ethernet connectivity. It is extremely compact, while supporting full 6.5-inch OD wristband rolls. This printer can be optionally configured to print wristbands in the event of a computer failure by retrieving its stored wristband printing program and entering/printing patient or customer information from a PC keyboard. 110/220V power cord (included).

Compatible Accessories:

KP-200 keyboard

KP-200e plus keyboard

Part Number

AWT05-505682

Media

Media

Consult factory



Options	Description
70611-847	UK power cord
70611-850	EU power cord
AWT05-505963	Null modem adapter DB9M to DB9M
AWT05-505964	Null modem adapter DB9M to DB9F
AWT05-505965	DB9 female gender changer
AWT05-505966	DB9 male gender changer
51993-0010	Cable 4' DB9 male/tinned lead
51993-0028	Cable 10' DB9 male/tinned lead

LP-470



The LP-470 is ideally suited for product marking, shipping, retail and other labeling applications. The LP-470 can print four-inch-wide 203 dpi labels at speeds up to 7 inches per second. Comes standard with USB, parallel and serial connections. Other options include an internal Ethernet interface for easy network integration, label cutters, and a keyboard for printing labels in stand-alone or down-time situations. The LP-470 series is equipped with a powerful 200 MHz processor, 4 MB of Flash memory, 8 MB SDRAM and an SD memory-expansion slot that increases Flash storage up to 4 GB. 110/220V power cord (included).

Part Number	Ship Weight
AWT05-505653	8 lb

Options	Description
AWT25-001410	UK power cord
AWT25-001411	EU power cord
AWT05-505963	Null modem adapter DB9M to DB9N
AWT05-505964	Null modem adapter DB9M to DB9F
AWT05-505965	DB9 female gender changer
AWT05-505966	DB9 male gender changer
51993-0010	Cable 4' DB9 male/tinned lead
51993-0028	Cable 10' DB9 male/tinned lead

Media	Description
48654-0115	25 mm / 1" core DTL case; 6 rolls; 30 mm x 22 mm / 1.2" x .85"; 2710 labels per roll
48654-0123	25 mm / 1" core DTL case; 6 rolls; 57 mm x 102 mm / 2.25" x 4"; 700 labels per roll
48654-0131	25 mm / 1" core DTL case; 6 rolls; 1012 mm x 152 mm / 4" x 6"; 700 labels per roll
AWT05-505935	1" Core 3" x 1272" length per roll
	Additional media (consult factory)



To order call 313-255-6700 or email dawright@standardscale.com

Merchandise

All merchandise pricing is net price

Travel Mug

16 oz push-on, twist and lock lid with Brecknell logo. Double-wall stainless steel construction with plastic liner. Rubber grip handle.

Net Price

£7 ea \$11 ea



Vintage Washed Contrast Stitch Cap

Contrast rollover underbill and stitched eyelets with Brecknell logo and website. Adjustable velcro strap.

Net Price

£9 ea \$13 ea



Long Sleeve Poplin Dress Shirt

Button-down dress shirt in light blue with Brecknell logo in charcoal. Dyed to match buttons, box back pleat, patch pocket, button through sleeve plackets and adjustable cuffs. Available in men and women sizes.

Size	Net Price
S, M, L, XL	£16 ea \$24 ea
2XL	£17 ea \$26 ea
3XL	£19 ea \$29 ea



Wool and Leather Varsity Jacket

Oversized wool body with leather sleeves with Brecknell logo on front and back of jacket. 100% quilted nylon lining with polyester fiberfill. Knit cuffs, waist band and collar.

Size	Net Price
S-XL	£112 ea \$174 ea
2XL	£116 ea \$179 ea
3XL	£118 ea \$182 ea



Polo Shirt

This lightweight polo shirt in blue lake with Brecknell logo in charcoal. Colorfast and shrink resistant with Dry Zone moisture-wicking technology to take moisture away from your skin. Dyed to match buttons, snag resistant, 2-button placket and flat knit collar. Available in men and women sizes.

Size	Net Price
S, M, L, XL	£19 ea \$29 ea
2XL	£20 ea \$31 ea
3XL	£22 ea \$33 ea



VALUE IN
WEIGHING

To order call 313-255-6700 or email dawright@standardscale.com



Standard Scale & Supply Company
25421 Glendale Avenue
Redford, MI 48239
313-255-6700
dawright@standardscale.com
www.standardscale.com

Brecknell

a division of Avery Weigh-Tronix, LLC

